

18th Annual Series.

Gift of
Earl Blough
November 1957

CATALOGUE

For 1853,

OF A FINE COLLECTION OF

FLORICULTURAL,

VEGETABLE AND AGRICULTURAL

SEEDS,

COMPRISING SPLENDID ASSORTMENTS OF
GERMAN ASTERS, STOCKS, ZINNIAS, &c.,
besides a numerous List of other established
favourites, and many new and rare Seeds.

In giving orders for Flower Seeds it is sufficient, indeed preferable, to mention the numbers without the names; but as the numbers are changed every year, it is absolutely necessary to say from the Catalogue for 1853.

Page 2 and 3 Necessary explanations.
4 German Flower Seeds.
5 to 23 Miscellaneous Flower Seeds.
24 Sundry Assortments.

Page 25 Packets of mixed Flower Seeds.
26 & 27 Flowering Bulbs.
28 to 31 Kitchen Garden and Fruit Seeds.
32 Agricultural Seeds.

Page 32, a Collection of the Newest Annuals, including Flower Seeds from Texas, many of which are exclusively in J. Carter's possession.

THE
LIST OF VEGETABLE SEEDS
WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF
JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.

Catalogues will be forwarded gratis and prepaid on application.

. The German Seeds are from the usual source.

A Catalogue of Dutch Bulbs will be published in the Autumn.

January 1853.

[Entered at Stationers' Hall.]

respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.

4th Column.—*Hardiness*

- h. hardy—plants for the open borders.
hh. half-hardy—such as require a hot-bed.
t. tender—pot plants, require shifting.
f. frame—require protection till May.
g. greenhouse—greenhouse plants.
s. stove or hothouse—stove plants.

and *Duration*.

- A. annual—last one year.
B. biennial—last two years.
P. herbaceous perennial—last three or more.
S. shrub, or under-shrub.
Pb. perennial herb, corn, or tuber.
T. tree.

Application: hA. hardy annual; hB. hardy biennial; hP. hardy herbaceous perennial; hS. hardy shrub; hPb. hardy bulbous perennial; hT. hardy tree; hhA. half-hardy annual; hhB. half-hardy biennial, &c. &c.; tA. tender annual, &c.; fA. frame annual, &c.; gA. greenhouse annual, &c.; sA. stove annual; sB. stove biennial; sP. stove perennial; sS. stove shrub; sPb. stove bulbous perennial.

5th Column.—*Colour of the flower.* The following are the principal abbreviations:

a. ash-grey.	cr. crimson.	o. orange.	sl. slate.
ap. apetalous.	d. dark.	ptd. painted.	spot. spotted.
az. azure.	div. diverse.	p. purple.	stra. straw.
b. blue.	flsh. flesh.	peh. peach.	stri. striped.
blk. black.	gn. green.	pk. pink.	sul. sulphur.
blh. bluish.	gy. grey.	r. red.	v. violet.
br. brown.	l. light.	ro. rose.	va. variegated.
bff. buff.	lem. lemon.	saf. saffron.	w. white.
car. carmine.	li. lilac.	s. scarlet.	y. yellow.
cin. cinnamon.	mul. mulberry.	sil. silver.	yh. yellowish.

Example: d. b. dark blue; b. w. & y. blue, white and yellow; l. r. light red; ro. li. rosy lilac, &c. &c.

6th Column.—*Usual height of the plant in feet*; trai. trailer.

7th Column.—*Usual month of flowering*: 1, January; 2, February; 3, March, &c.; 3-5, March to May, &c. &c.

8th Column.—*Price per Packet.* 6d. Packets may be had of those marked 3d., but no smaller packets can be made than those marked in the Catalogue.

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn; when sown early many of the Annuals flower in May. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in February till May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh frequently stand the winter without protection. The half-hardy Annuals may also be sown on a warm border early in May. The tender Annuals, as Balsams, &c., require a moderate hot-bed and re-potting to bring them to perfection.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early.

sp. species; var. varietas; pl. pluria, many; ex. from.—lf. leaf; fr. fruit.

The dots | ... | ... | ... | indicate a repetition.

I. THE 24 LINNEAN CLASSES.

(See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

Classes.	a. Stamens (male organs) equal.		e. Stamens united in sets.	
	No.	1. Monandria	16. Monadelphia, 1 set	
	2.	Diandria	17. Diadelphia, 2 sets	
	3.	Triandria	18. Polyadelphia, many sets	
	4.	Tetrandria	d. Compound Flowers (Asters, &c.).	
	5.	Pentandria	19. Syngenesia	
	6.	Hexandria	e. Stamens on the style.	
	7.	Heptandria	20. Gynandria	
	8.	Oetandria	f. Male and female separated.	
	9.	Enneandria	21. Monœcia, on one plant	
	10.	Decandria	22. Dioœcia, on different plants	
	11.	Dodecandria 12 to 19 S. in the cup	g. Male, female, and hermaphrodite Flowers on one or different plants.	
	12.	Icosandria 20 or more S. on the base	23. Polygamia, many marriages	
	13.	Polyandria, many Stamens	h. Flowers wanting, or incomplete.	
		b. Stamens unequal.	24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).	
	14.	Didynamia, 2 long, 2 short		
	15.	Tetradynamia, 4 " 2 "		

II. THE LINNEAN ORDERS.

(See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, Pods, or Fronds.

a. Orders founded on the Styles, or female organs.

No. 25. Monogýnia	. 1 style
26. Digýnia	. 2 styles
27. Di-pentagýnia	2 to 5 "
28. Trigýnia	. 3 "
29. Tetragýnia	. 4 "
30. Pentagýnia	. 5 "
31. Hexagýnia	. 6 "
32. Heptagýnia	. 7 "
33. Decagýnia	. 10 "
34. Dodecagýnia	. 12 "
35. Polygýnia	many "

b. On the Stamens (male organs).

36. Monan'dria	. 1 stamen
37. Diandria	. 2 stamens
38. Triandria	. 3 "
39. Tetrandria	. 4 "
40. Pentandria	. 5 "
41. Hexandria	. 6 "
42. Heptandria	. 7 "
43. Octandria	. 8 "
44. Enneandria	. 9 "
45. Decandria	. 10 "
46. Dodecandria	. 12 "
47. Icosandria	. 20 "
48. Polyandria	many "

c. On the sets of Stamens.

49. Monadelphía, 1 set

d. Styles and stamens united.

No. 50. Gynandria, male and female

e. Male and female separate.

51. Monœ'cia, on one plant
52. Dioœ'cia, on different plants

f. On the Polygamy.

53. { Polygámia æqualis, or
Equal Polygamy
54. { Polygámia superflua
Superfluous Polygamy
55. { Polygámia frustranea
Frustrated Polygamy
56. { Polygámia necessaria
Necessary Polygamy
57. { Polygámia segregata
Separated Polygamy

g. On the Seeds.

58. { Gymnosper'mia
Naked seeds
59. Angiosper'mia, in a capsule

h. On the Pods.

60. Siliculôsa, a small pod
61. Siliquôsa, a long pod.

i. On the Fronds, &c.

62. Filices, Ferns.

III. THE NATURAL ORDERS.

(See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

63. Acanthaceæ	89. Crucifereæ	115. Lythraceæ	141. Rutaceæ
64. Amaranthaceæ	90. Cucurbitaceæ	116. Magnoliaceæ	142. Salicaceæ
65. Amaryllidaceæ	91. Dilleniaceæ	117. Malvaceæ	143. Saxifragaceæ
66. Amentaceæ	92. Dipsacaceæ	118. Marantaceæ	144. Scrophulariaceæ
67. Anacardiaceæ	93. Eperidiaceæ	119. Melastomaceæ	145. Scoginiaceæ
68. Apocynaceæ	94. Ericaceæ	120. Myrtaceæ	146. Sesamiceæ
69. Asclepiadaceæ	95. Euphorbiaceæ	121. Nyctaginaceæ	147. Silenaceæ
70. Aurantiaceæ	96. Ficoideæ	122. Nymphaeaceæ	148. Solanaceæ
71. Balsaminaceæ	97. Filices	123. Oleaceæ	149. Stellateæ
72. Begoniaceæ	98. Francoaceæ	124. Oleaceæ	150. Terebinthaceæ
73. Bignoniaceæ	99. Fumariaceæ	125. Onagraceæ	151. Thymelaceæ
74. Boraginaceæ	100. Gentianaceæ	126. Oxalidaceæ	152. Tropaeolaceæ
75. Brunellaceæ	101. Geraniaceæ	127. Papaveraceæ	153. Tulipaceæ
76. Cactaceæ	102. Gesneriaceæ	128. Passifloraceæ	154. Umbellifereæ
77. Campanulaceæ	103. Gramineæ	129. Phytolaccaceæ	155. Urticaceæ
78. Capriaridaceæ	104. Hydrophyllaceæ	130. Pittosporaceæ	156. Valerianaceæ
79. Caprifoliaceæ	105. Hypericaceæ	131. Plumbaginaceæ	157. Verbenaceæ
80. Celastrinaceæ	106. Iridaceæ	132. Polemoniaceæ	158. Violaceæ
81. Cinchonaceæ	107. Jasminaceæ	133. Polygalaceæ	159. Rhamnaceæ
82. Cistaceæ	108. Labiata	134. Polygonaceæ	160. Zygophyllaceæ
83. Cobaceæ	109. Leguminosæ	135. Portulacaceæ	
84. Commelinaceæ	110. Libiaceæ	136. Primulaceæ	
85. Compositæ	111. Limnanthaceæ	137. Proteaceæ	
86. Conifereæ	112. Linaceæ	138. Ranunculaceæ	
87. Convolvulaceæ	113. Loasaceæ	139. Resedaceæ	
88. Crassulaceæ	114. Lobeliaceæ	140. Rosaceæ	

Additional Order.

161. Sapindaceæ

The names of the Natural Orders ending in *ACEÆ* are chiefly derived from Generic Names, as *CAMPANULACEÆ* from *CAMPANULA*; such as end in *Æ* only are not, as *COMPOSITEÆ*, compound flowers; *CRUCIFERÆ*, cross-shaped; *LABIATÆ*, lip-flowered, &c.

The Natural Orders, for reference to which the numbers 63 to 161 afford great facility, will prove of essential service to the Amateur in forming, by comparison, an opinion of any plant in this Catalogue which is unknown to him; for instance, *Anagallis*, *Cyclamen*, *Dodecatheon*, *Primula sinensis* or *Chinese Primrose*, *Auricula* and *Polyanthus* belong to the same Natural Order, *Primulaceæ*, No. 136; consequently should he not know *Dodecatheon*, the knowledge of one or more of the others would greatly assist him in forming an opinion of it. In making comparisons, the height of the plant should however be considered. The Aster and the Daisy, for example, belong to the same Natural Order 85, but at first sight there does not appear to be much resemblance between them, the difference in the magnitude of the flowers and height of the plants being so very great.

GERMAN FLOWER SEEDS

IN CHOICE ASSORTMENTS.

The Seeds are warranted of first-rate quality.

Explan. h. hardy; hh. half-hardy; t. tender; A. Annual; B. Biennial; P. Perennial.

GERMAN ASTER, <i>hhA.</i>					<i>s. d.</i>
No.					
1	12	splendid varieties of German Aster, separate	do.	do.	3 0
2	12	do. do. do.	do.	do.smaller packets	1 6
3	8	superb do. new Perfection	do.	do.	4 0
4	8	do. do. do.	do.	do.smaller packets	2 0
5	12	splendid do. new Globe-flowered	do.	do.	3 0
6	12	do. do. do.	do.	do.smaller packets	1 6
7	12	do. do. new Pyramidal	do.	do.	3 0
8	12	do. do. do.	do.	do.smaller packets	1 6
9	20	beautiful do. early Dwarf	do.	do.	5 0
10	20	do. do. do.	do.	do.smaller packets	2 6
11	10	do. do. do.	do.	do.	2 6
12	10	do. do. do.	do.	do.smaller packets	1 6
13	64	varieties of German Aster, comprising the above	do.	do.	17 0
14	64	do. do. do.	do.	do.smaller packets	8 6
GERMAN STOCK, <i>hhA.</i>					
15	24	finest Dwarf German Stock, separate, <i>hhA.</i>	do.	do.	6 0
16	24	do. do. do.	do.	do.smaller packets	3 0
17	12	do. do. do.	do.	do.	3 0
18	12	do. do. do.	do.	do.smaller packets	1 6
19	12	very fine Braneling do.	do.	do.	3 0
20	12	do. do. do.	do.	do.smaller packets	1 6
21	12	fine Wallflower-leaved	do.	do.	2 6
22	12	do. do. do.	do.	do.smaller packets	1 6
23	6	splendid new large-flowered	do.	do.	2 0
24	6	beautiful new very dwarf	do.	do.	2 0
25	12	do. Autumn-flowering	do.	do.	3 0
26	12	do. do. do.	do.	do.smaller packets	1 6
27	72	varieties of German Stock, comprising the above	do.	do.	18 0
28	72	do. do. do.	do.	do.smaller packets	9 0
29	9	superb new Imperial Stock	do.	do. <i>hhP†</i>	3 0
30	12	finest Winter or Biennial Stock	do.	do. <i>hhB.</i>	3 0
31	12	do. do. do.	do.	do.smaller packets	1 6
32	12	Antirrhinum, finest new varieties, separate, <i>hB†</i>	do.	do.	2 6
33	20	Balsam, very fine double,	do.	do. <i>tA., hhA., or Greenhouse</i>	4 0
34	10	do. do. do.	do.	do.	2 0
35	10	do. new Camellia-flowered	do.	do.	2 0
36	10	do. splendid new Rose-flowered	do.	do.	2 0
37	10	do. beautiful new Dwarf	do.	do.	3 0
38	50	Carnation and Picotee, extra fine, 5 seeds of each, <i>hhP.</i>	do.	do.	12 0
39	40	Hollyhock, extra fine double, from named flowers, separate, <i>hP.</i>	do.	do.	7 0
40	20	do. do. do.	do.	do.	3 6
41	12	Larkspur, finest dwarf Rocket, <i>hA.</i>	do.	do.	2 6
42	10	do. tall do. <i>hA.</i>	do.	do.	2 0
43	6	do. new dwarf Hyacinth-flowered, <i>hA.</i>	do.	do.	2 0
44	6	do. new Stock-flowered, <i>hA.</i>	do.	do.	1 6
45	12	Marigold, finest and newest varieties, <i>hhA.</i>	do.	do.	3 0
46	12	Petunia, very fine varieties, <i>hhP†</i>	do.	do.	5 0
47	12	Phlox Drummondii, extra fine, <i>hhA.</i>	do.	do.	5 0
48	12	Poppy, finest double, <i>hA.</i>	do.	do.	2 6
49	12	Salpiglossis, splendid varieties, comprising new scarlet, <i>hhA.</i>	do.	do.	3 6
50	10	Scabious, new large-flowered, <i>hA.</i>	do.	do.	3 0
51	12	Wallflower, superb new, <i>h. Shrub</i>	do.	do.	5 0
52	12	do. do. do.	do.	do.smaller packets	2 6
53	24	Zinnia elegans, splendid varieties, <i>hhA.</i>	do.	do.	8 0
54	12	do. do. do.	do.	do.	4 0

N.B. The Numbers 1 to 24 represent the 24 Linnean Classes (see Column 1st), whereas those indicating the Linnean Orders (2nd Column) and the Natural Orders (3rd Column) are arbitrary; their signification is given above (see Page 3rd). Example, Campanula, 5, 25, 77, belongs to the 5th Linnean Class, *Pentandria*, the flower having 5 Stamens; to the Linnean Order *Monogynia*, from its having 1 Style (Pistillum); and to the Natural Order *Campanulaceæ*, plants with Bell-shaped Flowers. See page 7, No. 184.

MISCELLANEOUS FLOWER SEEDS.

The following Plants, with few exceptions, have no popular name; thus *Acacia speciosa* is rendered showy *Acacia*, &c.—In giving orders it is sufficient to mention the numbers and date of this Catalogue, 1853. N.B. The numbers being changed every year, it is absolutely necessary to say from what Catalogue they are taken.

A — indicates a variety, see No. 77. () That the word is not literally translated, or is superadded.			Linnean Class.	Linnean Order.	Natural Order.	Hardiness and Duration.	Colour of the Flower.	Height in Feet.	Month of Flowering.	Price per Packet.
THE ACCENTS.										
à, è, ì, ò, ù, ý, as in <i>Acè-cia</i> , <i>Gardè-nia</i> , <i>Lupì-nus</i> , <i>Cù-phaea</i> , <i>Hý-acinth</i> .										
á, é, í, ó, and ý, as in <i>Itát-ica</i> , <i>él-egans</i> , <i>bíe-olor</i> , <i>Ne-móph-ila</i> (u similarly placed is long, as in <i>túeida</i>).										
Scientific Name.										
No.										
55	<i>Abroñia multiflora</i>	many-flowered	5	25	121	fP†	ro. li.	feet	6-8	s. d.
56	<i>Acacia armata</i>	armed	23	51	109	gS	y.	10	5-7	4
57	<i>falciformis</i>	sickle-shaped	6	...	4
58	<i>floribunda</i>	bunch-flowered	4
59	<i>longiflora</i>	long-flowered	4
60	<i>lophantha</i>	crest-flowered	4
61	<i>pulchella</i>	pretty	4	...	4
62	<i>speciosa</i>	showy	p.	10	8-10	4
63	Nos. 56 to 62		y. & p.	div.	div.	2 0
64	<i>Achimenes</i> , pl. sp.	(splendid mixed)	14	59	102	sPb	div.	1 0
65	<i>Adenophora suaveolens</i>	fragrant	5	25	77	hP†	b.	1½	7-8	3
66	<i>Æthioudema persica</i>	Persian	15	61	89	...	ro.	...	6-8	3
67	<i>Agapanthus umbellatus</i>	umbel-flowered	6	25	110	gPb	b.	2½	5-8	6
68	<i>umbellatus albus</i>	white do.	w.	6
69	<i>Ageratum</i> sp. albidum	(new white)	19	53	85	hA	...	1½	7-10	6
70	<i>corymbosum</i>	corymbus-flowered	b.	3
71	<i>mexicanum</i>	Mexican	3
72	sp. grandiflorum	(new large-flowered)	hA	l. b.	2	...	6
73	<i>Agrostis elegans</i>	elegant	3	26	103	...	ap.	1	7-8	3
74	<i>Aloë ferox</i>	(spiny)	6	25	110	gS	y.	6	5-7	6
75	<i>Alonsòa linearis</i>	linear	14	59	144	hhP†	s.	1	6-9	4
76	<i>incisifolia</i>	cut-leaved	4
77	— picta	painted	s. & w.	4
78	<i>Alstroemèria aurantiaca</i>	orange	6	25	65	gPb	o.	2½	...	4
79	<i>Pelegrina</i>	(striped)	stri.	1½	...	4
80	<i>hybrida nova</i>	new hybrid	div.	2	...	6
81	<i>pulchella</i>	pretty	s.	1½	...	4
82	<i>tricolor</i>	three-coloured	var.	1	...	4
83	<i>Alyssum maritimum</i>	(Sweet Alyssum)	15	60	89	hA	w.	½	6-8	3
84	<i>saxatile</i>	rock	hP†	y.	1	5-7	3
85	<i>Amaranthus tricolor</i>	three-coloured	21	40	64	tA	va. lf.	...	7-8	3
86	<i>Amcthytea carulea</i>	blue	2	25	108	hA	b.	1½	...	3
87	<i>Ammobium alatum</i>	winged	19	53	85	hP†	w.	2	...	3
88	<i>Anagallis indica</i>	Indian	5	25	136	hA	b.	1½	6-7	3
89	<i>fruticosa</i>	shrubby	gB†	s.	1½	6-9	6
90	<i>Monelli Phillipsii</i>	(large blue)	gP†	b.	1	...	6
91	— bicolor	two-coloured	va.	6
92	<i>Parkii</i>	Park's	s.	6
93	<i>Anastatica hierochuntina</i>	(Rose of Jericho)	15	60	89	hhA	w.	½	7-8	4
94	<i>Anchisa arvalis</i>	(bright blue)	5	25	74	hP†	b.	1½	6-8	3
95	<i>oehroleuca italica</i>	Italian	3
96	<i>Anemone capensis</i>	Cape	13	35	138	gP†	p.	1	...	6
97	<i>caroliniana</i>	Carolina	hP†	w.	...	5-7	6
98	<i>coronaria</i>	(Garland or Poppy)	div.	1	...	6
99	— coccinea	scarlet do.	s.	6
100	— præcox	(new Russian do.)	div.	...	4-6	6

A — indicates a variety. () That the word is not literally translated, or is superadded (See page 5).

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price s. d.
101	<i>Anemone hortensis</i>	garden	13 35	138	hPb†	div.	$\frac{1}{2}$	5-6	6
102	<i>Hudsoniana</i>	Hudson's Bay	w.	1	...	4
103	<i>Pulsatilla</i>	(Pasque-flower)	v.	$\frac{1}{2}$	4-5	4
104	<i>Anoda Dilleniana</i>	Dillenius's	16 48	117	hA	b.	2	7-8	3
105	<i>Anomatheca cruenta</i>	blood-red	3 25	106	fPb	w.	1	7-9	4
106	<i>Antirrhinum majus album</i>	white	14 59	144	hP†	r.	2	6-10	3
107	<i>majus bicolor</i>	two-coloured	w. & r.	3
108	— <i>caryophylloides</i>	Carnation	stri.	3
109	— <i>coccineum</i>	scarlet	s.	3
110	— <i>flavum</i>	yellow	y.	3
111	— <i>nanum novum</i>	new dwarf	w. & r.	$\frac{1}{2}$...	6
112	— <i>pictum</i>	painted	y. & s.	2	...	3
113	— <i>striatum novum</i>	new striped	div.	6
114	— <i>Youngii</i>	Mr. Young's	var.	3
115	Nos. 106 to 114	div.	div.	...	2 6
116	<i>Aquilegia canadensis</i>	Canadian	13 30	138	...	r. & o.	$\frac{1}{2}$	5-7	4
117	<i>formosa</i>	beautiful	o. & y.	4
118	<i>fragrans</i>	fragrant	y. va.	4
119	<i>glandulosa</i>	glandular	b. & w.	4
120	<i>hybrida</i>	hybrid	w. & b.	4
121	<i>leptoceras</i>	(slender-spurred)	st. v.	4
122	<i>sibirica fl. pl.</i>	double Siberian	b.	4
123	<i>Skinneri</i>	Mr. Skinner's	s. & g.	4
124	<i>Willdenovii</i>	Willdenow's	b. & w.	4
125	<i>Arctotis breviscapa</i>	narrow-scaped	19 56	85	hhA	o. & br.	$\frac{1}{2}$	7-8	6
126	<i>grandiflora</i>	large-flowered	f B	y.	$\frac{1}{2}$	5-6	1 0
127	<i>Argemone grandiflora</i>	large-flowered	13 25	127	hA	w.	2	7-8	4
128	<i>mexicana</i>	Mexican	y.	3
129	<i>Aristea cyanea</i>	sky-blue	3	110	fPb	b.	1	5-7	6
130	<i>Asclepias curassavica</i>	Curassao	5 26	69	sP	s.	$\frac{1}{2}$	6-8	4
131	<i>tuberosa</i>	tuberous	hPb	o.	2	7-8	4
132	<i>Asphodelus luteus</i>	yellow	6 25	110	hP	y.	3	5-7	3
133	<i>Aster tenellus*</i>	slender	19 54	85	hB†	b. & y.	$\frac{1}{2}$	6-8	3
134	<i>Azalea pontica, pl. var.</i>	Pontic, mixed	5 25	94	hS	div.	3	5-7	6
135	<i>indica</i>	Indian	gS	6
136	<i>Bartonia aurea</i>	golden	12	113	hA	y.	$\frac{1}{2}$	7-8	3
137	<i>Begonia insignis</i>	distinguished	21 48	72	sS	pk.	3	6-8	6
138	<i>zinnabarina</i>	vermillion	sPb	ver.	6
139	<i>Bellis perennis, fl. pl.</i>	(double Daisy)	19 54	85	hP†	div.	$\frac{1}{2}$	4-8	1 0
140	<i>Bigonia radicans major**</i>	large-flowered	14 59	73	hS	o.	10	7-9	6
141	<i>sp. superba**</i>	superb	sS	p.	1 0
142	<i>Blumenbachia insignis</i>	beautiful	18 48	113	hA	w.	1	7-8	3
143	<i>Brachycome iberidifolia</i>	Iberis-leaved	19 54	85	hhA	b.	$\frac{1}{2}$...	4
144	<i>iberidifolia alba</i>	white do.	w.	4
145	<i>Brodiaea congesta</i>	(crowded-flowered)	3 25	110	fPb	b.	1	...	4
146	<i>Browallia elata</i>	tall	14 59	144	gA	...	2	6-8	4
147	<i>elata alba</i>	white	w.	4
148	<i>demissa</i>	spreading	l. b.	1	...	4
149	Nos. 146 to 148	div.	2	...	1 0
150	<i>Brunia nodiflora</i>	knot-flowered	5 25	75	gS	w.	6	...	1 0
151	<i>Buddleya Lindleyana</i>	Dr. Lindley's	4	144	...	d. v.	...	7-9	1 0
152	<i>Cacalia coccinea</i>	scarlet	19 53	85	hhA	s.	$\frac{1}{2}$	7-8	3
153	<i>coccinea aurea</i>	yellow	y.	3
154	<i>Cactus, sp. ex Texas</i>	Texian species	12 25	76	sS	div.	2	...	1 0
155	<i>Cajanus flavus</i>	yellow	17 45	109	...	y.	4	...	6
156	<i>Calampelis scabra**</i>	rough (podded)	14 59	73	gP†	o.	6	6-9	3
157	<i>longiflora**</i>	long-flowered	6
158	<i>miniata**</i>	vermillion	ver.	6
159	<i>Calandrinia discolor (elegans)</i>	elegant	11 25	135	hhP†	ro.	$\frac{1}{2}$	7-8	3
160	<i>grandiflora</i>	large-flowered	p.	3
161	<i>Lindleyana</i>	Dr. Lindley's	hA	r.	1	6-7	3
162	<i>speciosa</i>	showy	p.	3
163	<i>umbellata*</i>	umbelbed	hhP†	...	$\frac{1}{2}$	6-8	6
164	<i>Calceolaria pinnata</i>	pinnate	2	144	hhA	y.	$\frac{1}{2}$	7-8	3
165	<i>hybrida</i>	hybrid	gP	div.	2	6-9	1 0
166	— <i>punctata superba</i>	superb spotted	2 6
167	— — —	(small packet)	1 0
168	<i>sp. suberecta</i>	suberect	fP	y.	$\frac{1}{2}$...	6

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.						feet	s. d.	
169	<i>Calceolaria</i> , sp. ex California	2 25	144	fP	y.	1½	6-9	6
170	sp. ex Peru	6
171	<i>Calliandroa platyglossa</i>	19 56	85	hA	...	1	7-8	3
172	<i>Calliopsis bicolor</i>	...	55	...	y. & r.	2	7-9	3
173	bicolor atrosanguinea	d. r.	3
174	— Ackermannii	o. & r.	3
175	— grandiflora	y. & r.	3
176	— marmorata	spot	3
177	— nigra speciosa	d. r.	3
178	— semi-plena	div.	6
179	— var. nana nova	y. & r.	1	...	6
180	<i>Drummondii</i>	y. & d.	3
181	— major nova	6
182	Nos. 172 to 181 incl.	div.	div.	...	3 0
183	<i>Calliopsis Atkinsoniana</i>	hP†	y. & br.	3	...	3
184	<i>Campanula americana</i>	5 25	77	...	b.	2	...	3
185	carpatia	l. b.	¾	6-8	3
186	— alba	w.	3
187	grandiflora	b.	1	...	6
188	grandis	l. b.	2	...	3
189	littoralis	3
190	nobilis	p.	1½	...	4
191	— alba	w.	4
192	pulcherrima	b.	4
193	pusilla	1	...	4
194	pyramidalis	hP	...	3	...	3
195	— alba	w.	3
196	speciosa	hP†	p.	2	...	4
197	stricta	b.	1½	...	3
198	<i>Trachelium fl. pl.</i>	2½	...	4
199	— alba plena	w.	4
200	<i>Lorei</i>	hA	p.	1	...	3
201	— albidiflora	w.	3
202	Nos. 184 to 201 incl.	div.	div.	div.	div.	4 0
203	<i>Canna floribunda</i>	1	...	118	slPb	r.	4	1-12
204	gigantea	r. & y.	6	...	4
205	indica	div.	3	...	4
206	lutea et aurantiaca	y. & o.	4
207	<i>Cardiospermum halicacabum</i>	8 28	161	sA	w. & g.	5	6-8	4
208	<i>Carthamus tinctorius</i>	19 53	85	hA	o.	3	7-8	3
209	<i>Cassia corymbosa</i>	10 25	109	gS	y.	...	5-7	4
210	grandiflora	sS	6
211	homophylla	6
212	torosa	6	...	6
213	<i>Casuarina sp. eximia</i>	21 36	66	gT	ap.	10	3-8	6
214	<i>Catananche lutea</i>	19 53	85	hA	y.	1	7-8	3
215	caerulea	hP†	b.	2	...	3
216	— bicolor	w. & b.	3
217	<i>Celsia cretica</i>	14 59	144	hB†	y.	3	...	3
218	<i>Cenia turbinata</i>	19 54	85	hA	w.	1	...	4
219	turbinata formosa	y.	4
220	<i>Centaurea americana</i>	...	55	gA	r.	2½	8-10	6
221	atropurpurea	hP†	d. p.	1½	7-8	3
222	Cuprina	hA	flsh	2	...	3
223	depressa*	b.	1	...	3
224	glastifolia	hP†	y.	3	...	3
225	Lippii	hA	l. p.	1½	...	3
226	orientalis	hP†	r. & y.	3
227	<i>Centranthus macrosiphon</i>	1 25	156	hA	r.	¾	7-9	3
228	macrosiphon carneus	flsh	3
229	<i>Ceratonia siliqua</i>	23 52	109	gT	r. & y.	12	8-10	6
230	<i>Chenostoma fastigiatum*</i>	14 59	144	hA	ro.	¾	7-8	4
231	polyanthum*	li.	4
232	viscosum*	pk.	4
233	<i>Chelone barbata</i>	hP†	s.	2	...	4
234	Rodigasii	r.	4
235	<i>Chironia frutescens</i>	5 25	100	gS	...	1½	...	4
236	<i>Chorozema Chandleri?</i>	10	...	109	...	2	6-8	6

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.
237	Chorozema cordata	heart-shaped	10 25	109	gS	r.	2	6-8	6
238	macrophylla	large-leaved	6
239	varia elegans	elegant	o.	6
240	Chrysanthemum indicum	Indian	19 54	85	hP	div.	3	9-12	1 0
241	Chrysurus cynosuroides	Cynosurus-like	3 26	103	hA	ap.	2	7-8	3
242	Cineraria lobata	lobed	19 54	85	hhA	y.	2	...	6
243	cruenta fl. pl.	(splendid mixed)	gS	div.	...	5-7	1 0
244	— cerulea	blue	b.	1 0
245	— — alba	blue and white	b. & w.	1 0
246	— rubra	red	r.	1 0
247	— — alba	red and white	r. & w.	1 0
248	Cirsium pulcherrimum	handsome	...	55	hP	p.	4	7-8	4
249	Cistus albidus	(white-leaved)	13 25	82	fP	l. p.	2	6-8	4
250	alpinus	alpine	4
251	Citrus myrtifolius	myrtle-leaved	18 48	70	gS	w.	3	5-7	6
252	Cladanthus arabicus	Arabian	19 54	85	hA	y.	1	7-8	3
253	Clarkia elegans	elegant	8 25	125	...	li.	1 1/2	6-8	3
254	elegans flore-pleno	double	3
255	— rosca	rose	ro.	3
256	— — flore-pleno	double rose	3
257	— violacea	violet	v.	3
258	nerifolia	Nerium-leaved	pk.	1	...	3
259	pulehella	pretty	ro.	1 1/4	...	3
260	— alba	white	w.	3
261	— fimbriata	fringed	3
262	— grandiflora	large-flowered	r.	3
263	— — alba	white do.	w.	3
264	Nos. 253 to 263	div.	div.	...	2 6
265	Clematis flammula**	flame	13 35	138	hS	w.	15	6-9	3
266	sp. Texas, fragrans**	fragrant	10	...	1 0
267	Cleome speciosa	showy	15 61	78	hhA	ro.	2	7-8	4
268	Cianthus puniceus	crimson	17 45	109	hS	cr.	6	7-9	6
269	Clitonia elegans	elegant	16 40	114	hhA	b.	1	7-8	3
270	pulehella	pretty	3 col.	6
271	— alba	white	w.	6
272	Clitoria Ternatea**	(sky-blue)	17 45	109	sS	b.	4	...	1 0
273	Cobaea scandens**	climbing	5 25	83	gS	p.	30	6-9	6
274	Collinsia Bartsiaefolia	Bartsia-leaved	14 59	144	hA	d. p.	1	6-8	1 0
275	bicolor	two-coloured	pk. & w.	1 1/2	...	3
276	— atrorubens	dark red	r. & w.	3
277	— heterophylla	various-leaved	p. & w.	3
278	grandiflora	large-flowered	pk. & b.	1	...	3
279	multicolor	many-coloured	div.	1 1/4	...	1 0
280	verna	vernal	p. & b.	1	...	3
281	Nos. 274 to 280	div.	div.	...	2 6
282	Collomia coccinea	scarlet	5 25	132	...	s.	1	...	3
283	Colutea cruenta	blood-red	17 45	109	hS	...	4	9-10	6
284	Commelina celestis	sky-blue	3 25	84	fPb†	b.	1 1/2	7-8	4
285	celestis alba	white	w.	4
286	— variegata	variegated	var.	1 0
287	Convallaria majalis	(Lily of the Valley)	6	...	110	hPb	w.	5-8	3
288	Coronilla glauca	glaucous	17 45	109	gS	y.	2	...	3
289	Corydalis aurea	golden	...	41	99	hB†	1	5-7	3
290	Cosmanthus fimbriatus	fringed	5 25	104	hA	b. & w.	2	6-8	3
291	Cosmos bipinnata	bipinnate	19 55	85	hhA	p.	2	8-10	3
292	grandiflora	large-flowered	4
293	Cosmidium filiforme	fine-leaved	w.	...	7-9	4
294	Crategus, sp. ex Texas	Texasian species	12 27	140	hS	...	10	5-8	6
295	Crocus vernus	vernal	3 25	106	hPb	div.	1/4	3-4	4
296	iridiflorus	Iris-flowered	4-5	6
297	Crotalaria turgida	turgid	16 45	109	gS	y.	3	6-8	6
298	Crucianella stylosa	long-styled	4 25	149	hP†	pk.	1	...	3
299	Cuphea lanceolata	lance-leaved	11	...	115	fB†	p.	7-9	4
300	platycentra	broad-centred	gS†	r. & y.	1 1/4	...	4
301	miniata	vermillion	ver.	1 1/2	...	4
302	— coccinea	scarlet	sc.	4
303	— purpurea	purple, &c.	div.	4
304	silanoides	Silene-like	hA	flsh.	4

<i>A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)</i>			L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
305	Cúpeha strigillósa	strigillose	11	25	115	fS†	s&y.	1½	4
306	viscosissima	clammist	hA	p.	...	4
307	Cýclamen persicum	Persian	5	...	136	gPb†	r.	½	6
308	Cýclobíbium sp. nóva**	new species	gS	1 0
309	Cýtísus argenteus	silvery	16	45	109	hS	y.	3	3
310	racemósus	bunch-flowered	3
311	Dahlia glabrátá	smooth	19	54	85	hhA	p.	1½	3
312	superflua	(fine double)	fPb†	div.	div.	6
313	Datúra ceratócaula	horn-stalked	5	25	148	hhA	w.&r.o.	3	3
314	fastuósa	showy	p.	2	...	4
315	— alba	white	w.	4
316	Daubentónia Tripetiáua	Tripet's	17	45	109	gS	s.&o.	6	6
317	Delphínium amœnum	pleasing (Larkspur)	13	28	138	hP†	l.b.	2	3
318	azáreum	azure	b.	3
319	Barlowii	Barlow's	4
320	mesolencum	white-centred	w.&b.	3	...	4
321	chinense	Chinese	b.	1½	...	3
322	— album semiplénium	semi-double do.	w.	4
323	— pictum	painted do.	l.b.	3
324	Clúsi	Cluse's	b.	3	...	3
325	commutátum	changed	2	...	3
326	dictyocarpum	net-podded	3
327	Donkalèrii	Donkaleri's	1½	...	6
328	clátum	(Bee)	3	...	3
329	— flore pléno	double do.	l. b.	6
330	élegans	elegant	1½	...	3
331	— album plénum	double-white	w.	4
332	grandiflórum	large-flowered	b.	3
333	intermédium	intermediate	3	...	3
334	peregrínium	foreign	hA	...	2	3
335	púniceum	crimson	hP†	er.	...	4
336	spléndidum	splendid	b.	4
337	trícolor	three-coloured	var.	4
338	volúbile**	climbing	b.	3	...	4
339	Nos. 317 to 338	div.	div.	6	0
340	Dianthus atrorúbens*	dark red (Pink)	10	26	147	...	s.	1	6-9
341	atrórúbens violáceus*	violet	v.	4
342	barbátus	(Sweet William)	hP	div.	1½	3
343	— coccíneus	scarlet do.	s.	4
344	— flore-pléno	double do.	div.	4
345	— stríátus	striped do.	str.	4
346	Carthusianórum	Carthusians'	hP†	r.	...	2
347	Caryophýllus	(Carnation)	hP	div.	2	3
348	— flore-pléno	double do.	6
349	— — bicolor	— Flake do.	2 6
350	— — variegátus	— Bizarre do.	2 6
351	— — punctátus	(Pietote)	spot.	3
352	— — flore-pléno	double do.	6
353	— — — albus	— white grounds	2 6
354	— — — flavus	— yellow grounds	2 6
355	chinensis 20 var.*	(Indian Pink)	hB†	div.	¾	4
356	— flore-pléno*	double do.	4
357	— — albus*	— white do.	w.	4
358	— — imperiális*	— Imperial do.	div.	6
359	— — — fimbriátus	— fringed do.	6
360	— — — návus nóvus	— dwarf do.	cop.	½	...	6
361	eruentus	blood-red	hP†	d. r.	1	4
362	deltoides	(maiden or mountn.)	l. r.	¾	...	3
363	— albus	white do.	w.	3
364	Garnieriáus	Miss Garnier's	div.	4
365	giganteus	gigantie	hP	r.	3	3
366	hispániens*	Spanish	hP†	div.	1	3
367	— splendens*	— splendid	s.	4
368	japónicus	Japan	4
369	latifólius	broad-leaved	div.	3
370	moschátus	(Garden)	hP	w.&p.	...	3
371	— flore-pléno	double do.	1 0
372	plumárius	feathered	div.	1½	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		Li.	O.	N.O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
373	<i>Dianthus pulchellus</i>	10	26	147	hP+	div.	feet 1	s. d. 6-9	3
374	superbus	li.	1½	...	3
375	— novus	div.	6
376	Nos. 355 to 375	div.	div.	...	6 0
377	<i>Dichronema leucocéphala</i>	3	26	103	sA	ap.	4	6-8	6
378	<i>Didiscus cæruleus</i>	5	...	154	hA	b.	2	7-8	4
379	<i>Digitalis aurea</i>	14	59	144	hP+	y.	1½	6-9	3
380	<i>Buxbaumi</i>	r. br.	3
381	ferruginea	bff.	3
382	— gigantea	3½	...	3
383	grandiflora	y.	1½	...	3
384	purpurea	p.	3	...	3
385	— alba	w.	3
386	— punctata superba	spot.	3
387	tomentosa	r.	3
388	Winterli	br.	1½	...	3
389	<i>Diosina alba</i>	5	25	141	gS	w.	2½	5-7	6
390	<i>Disphënia arborea</i> ?	24	62	97	sT	ap.	12	...	2 6
391	<i>Dodecatheon Meadia</i>	5	25	136	hP+	div.	1	6-8	6
392	<i>Dolichos lignosus</i>	17	45	109	gS	p.	8	7-9	4
393	racemosus	r.	4
394	<i>Dracoccephalum superbum</i>	14	58	108	hP+	b.	2	...	4
395	canariense	fP+	r. & p.	...	4
396	<i>Dracopis amplexicaulis</i>	19	55	85	hA	y. & br.	...	7-8	3
397	<i>Echium glaucophyllum</i>	5	25	74	gS	v.	6
398	grandiflorum	hA	b.	...	3
399	<i>Edwardsia grandiflora</i>	10	...	109	gS	y.	10	6-8	6
400	<i>Elsholtzia cristata</i>	14	58	108	hA	pk.	1	7-8	3
401	<i>Epæris elegantissima</i>	5	25	93	gS	...	2	5-7	1 0
402	grandiflora	3	1-6	1 0
403	hybrida superba	div.	div.	div.	2 6
404	<i>Ephedra altissima</i>	22	49	86	gS	ap.	20	7-9	6
405	<i>Eragrostis elegans</i> *	3	26	103	hA	...	1	7-8	3
406	<i>Eremurus spectabilis</i>	6	25	110	hPb	y.	2	5-7	6
407	<i>Erica capitata</i>	8	...	94	gS	...	1½	...	6
408	coccinea	s.	...	1-12	6
409	conferta	w.	...	2-9	6
410	margaritacea	5-9	6
411	nigrita	1	4-6	6
412	persoluta	p.	1½	2-5	6
413	<i>Plukenetii</i>	r.	1	5-7	6
414	tubiflora	pk.	2	...	6
415	<i>Erinus alpinus</i>	14	59	144	hP+	li.	4	4-6	3
416	<i>Eryngium giganteum</i>	5	26	154	hP	r.	2	7-8	6
417	<i>Erysimum Peroffskyanum</i>	15	61	89	hA	o.	1	6-8	3
418	<i>Erythrina caffra</i>	17	45	109	gS	s.	6	7-10	1 0
419	<i>Eschscholtzia californica</i>	13	29	127	hP+	y.	1½	7-8	3
420	compacta	1	...	3
421	crœcea	o.	1½	...	3
422	— alba	w.	3
423	<i>Ethulia corymbosa</i>	19	53	85	hA	p.	1½	...	3
424	<i>Encharidium concinnum</i> *	8	25	125	hA	p.	1	6-8	3
425	grandiflorum*	3
426	<i>Euphorbia variegata</i>	11	28	95	hA	va. lf.	...	7-8	6
427	<i>Euphrasia limifolia</i>	14	59	144	hA	p.	...	7-9	3
428	<i>Eutoca multiflora</i>	5	25	104	...	lav.	...	6-7	3
429	viscida	b.	3
430	Wrangeliæna	li.	3
431	<i>Francia souchifolia</i>	8	29	98	hP	ro. p.	2½	7-9	6
432	<i>Fritillaria melœgris</i>	6	25	110	hPb	div.	1	4-6	6
433	<i>Fuchsia pl. sp. et var.</i>	8	...	125	gS	...	div.	6-9	1 0
434	<i>Gaillardia bicolor</i>	19	55	85	hP+	y. & br.	2	7-9	4
435	picta	hA	y. & s.	...	4
436	— coccinea	s.	4
437	— elegantissima	y. & s.	4
438	— Josephus	o. & s.	4
439	— nana	s.	4
440	— pulchella	y. & s.	4

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L.	O.	N.	O.	H.	Dur.	Col. of FL.	Hght.	M. of Flow.	Price.
441	Gaillardia picta splendissima	19	55	85	hA	var.		feet	2	7-9	s. d.
442	Richardsoni	hP+	o.			4
443	Wellsiana	y. & r.			4
444	Gardënia Rothmanni	5	25	81	gS	l. y.			8	6-8	1 0
445	Gardônia betonicoides	14	58	108	hP+	pk.			3	9-10	4
446	Gaura Lindheimeri	8	25	125	hhA	w. & r.			2	7-8	4
447	Gazania rigens	19	55	85	fS	y.			1	7-9	1 0
448	Genista sp. formosa	16	45	109	gS	...			2	5-7	6
449	Geniàna acaulis	5	26	100	hP+	b.			1	4-7	4
450	Geranium Wallichianum	16	42	101	...	l.			1	5-6	6
451	Gesneria albiflora	14	59	102	sPb	w.			1½	6-9	1 0
452	albiflora elegans	ro.			1 0
453	Bethmanni	l. s.			1 0
454	splendens	s.			1 0
455	Gœum chilense (eoccincum)	12	35	140	hP+	4
456	chilense flore-pleno	4
457	— atrosanguineum	d. s.			4
458	— superbum	cr.			4
459	montanum	y.			4
460	nivale	w.			4
461	Quellyon	s.			4
462	Gilia nivalis*	5	25	132	hA	w.			1	6-8	3
463	tricolor*	3 col.			3
464	— albo-cœrulea*	w. & b.			3
465	— rosea sen splendens*	ro.			3
466	Gladiolus Herbertianus	3	...	106	fPb	div.			2	7-9	1 0
467	Gloxinia pl. sp. et var.	14	59	102	sPb	...			1½	6-9	1 0
468	Gnaphalium erassifolium	19	54	85	gS	y.			1	7-10	6
469	modestum	gP	r.			6
470	Godetia bifrons	8	25	125	hA	p. & c.			1½	7-8	3
471	insignis	spot.			3
472	Lindleyana	w. & r.			3
473	purpurea	p.			3
474	Romanzovii	l. p.			3
475	roseo-alba	ro. & w.			3
476	rubicunda	cr.			3
477	tenella	p.			3
478	Willdenovii	3
479	Goodia lotifolia	16	45	109	gS	y.			3	6-8	6
480	Gomphrena sp. superba	5	25	64	gA	o. y.			...	6-9	1 0
481	Grammanthes gentianoides	...	30	88	hhA	s.			½	6-8	6
482	gentianoides orœca	o.			6
483	Griœum tenuifolium	10	30	140	gP	y.			2	5-7	1 0
484	Guaiaecum verticillæ	...	25	160	sS	b.			8	6-9	1 0
485	Gypsophila elegans	...	26	147	hA	w. & p.			1	7-8	3
486	Heimia salicifolia	11	25	142	gS	y.			5	7-9	1 0
487	Helœnum tenuifolium	19	54	85	hA	...			2	7-8	3
488	Helianthemum guttatum	13	25	82			½	...	3
489	apenninum	hS	w.			...	5-7	6
490	mutabile	r. & y.			½	6-8	6
491	Helichrysum maximum	19	54	85	hhA	w.			2½	7-9	4
492	maeranthum	l. ro.			2	...	3
493	— album plœnum	w.			4
494	— flavum plœnum	y.			4
495	robustum	y. & w.			3
496	grandiflorum	gS	w.			2½	6-9	6
497	maritimum	w. & y.			4	...	6
498	sesanoides	p. & w.			2	5-7	6
499	speciosissimum	w.			6	7-9	6
500	Stœhetina			1½	1-12	6
501	Helioœphila arabioïdes*	15	61	89	hhA	b.			1	7-8	4
502	dissecta	l. b.			4
503	trifida	p.			4
504	villœsa	b.			4
505	Heliotropium grandiflorum	5	25	74	gS	li.			2	6-8	4
506	peruvianum	4
507	(Triomphe de Liège)	d. v.			4
508	— Voltairœanum	v.			4

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)		L. Cl.	L.	N. O.	H. & Dur.	Col. of Fl.	Hght. feet	M. of Flow.	Price. s. d.	
No.										
509	Helleborus foetidus	foetid	13 35	138	hP	g.	1½	2-5	3	
510	Heraclium giganteum	gigantic	5 26	154	hB	w.	10	7-9	3	
511	Hibbertia volubilis**	climbing	13 28	91	gS	y.	...	5-9	6	
512	Hibiscus africanus	African	16 48	117	hA	y. & br.	1½	7-8	3	
513	calisæurus	(beautiful)	3	
514	Humboldti	Humboldt's	3	
515	Trionum	(Bladder Kelmia)	3	
516	palustris	marsh, 2 var.	hP+	w. & pk.	3	...	6	
517	syriacus	Syrian	hS	div.	6	...	3	
518	Cameroni	Mr. Cameron's	sS	ro.	3	7-9	6	
519	liliiflorus	lily-flowered	gS	s.	2	...	6	
520	Manihot	Manihot	y.	6	
521	mutabilis	variable	sS	w. & p.	6	
522	speciosus	showy	gS	s.	6	
523	sp. nova ex Texas	Texian species	1 0	
524	Hovca Celsi	Cels'	... 45	109	...	b.	6	6-9	6	
525	Humea elegans	elegant	19 53	85	hB+	r.	5	...	6	
526	Humulus Lupulus**	(cultivated Hop)	22 40	155	hP	y.	15	...	2	
527	Hyacinthus orientalis	oriental	6 25	110	hPb	div.	1	...	4	
528	Hymenoxys californica	Californian	19 54	85	hA	y.	1	7-8	3	
529	Hypericum elegans	elegant	18 48	105	hP+	...	1½	6-8	4	
530	Iberis Tenoreana	Tenore's	15 60	89	...	p.	1	...	4	
531	umbellata striata	striped	hA	cr. & r.	...	6-9	6	
532	Ilex crœcea	saffron	4 29	80	gT	w.	25	5-7	6	
533	Impatiens glanduligera	glandular	5 25	71	hA	r.	2½	7-8	3	
534	Incarvillea grandiflora**	large-flowered	14 59	73	gS	o.	20	7-9	6	
535	Indigofera argentea	silvery	17 45	109	...	p.	2	7-8	6	
536	cytisoides	Cytisus-like	r.	3	...	6	
537	emarginata	(notch-leaved)	6	
538	Ipomœa coccinea**	scarlet	5 25	87	gA	s.	6	6-9	4	
539	bona nox**	Good Night?	sA	-w.	12	...	4	
540	ficifolia**	fig-leaved	sPb+	p.	6	...	6	
541	limbata (Pbarbites)**	bordered	sA	v. & w.	10	...	2 6	
542	lutcola**	yellow	gA	y.	6	...	4	
543	polyanthes**	many-flowered	sS	...	12	...	1 0	
544	Quamoclit**	Quamoelit	gA	s.	6	...	4	
545	— alba**	white	w.	6	
546	rubro-cœrulea**	(sky-blue)	sA	b.	12	...	1 0	
547	tyrianthina**	Tyrian	sPb	p.	1 0	
548	sp. ex Arabia**	Arabian	v. & y.	20	...	1 0	
549	sp. ex Texas**	Texian species	gP+	p.	10	...	1 0	
550	sp. quercifolia**	oak-leaved	w. & r.	1 0	
551	barbata**	bearded	hA	p.	3	
552	carolina semi-plena**	semi-double	3	
553	purpurea Dicksoni**	Mr. Dickson's	b.	3	
554	— Burridgei**	Mr. Burridge's	cr.	3	
555	— montana**	mountain	var.	3	
556	Nij**	(large blue)	b.	3	
557	Ipomopsis Beyrichii	Beyrich's	...	132	fP	l. s.	2	7-9	4	
558	elegans	elegant	s.	1½	...	4	
559	picta	painted	2	...	4	
560	— aurantiaca	orange	o.	4	
561	— superba	superb	s.	4	
562	Iris xiphoides	(English Iris)	3	...	106	hPb	div.	1½	6-7	4
563	Isotoma axillaris	axillary	5	...	114	gP+	b.	...	6-8	4
564	Ixia maculata	spotted	3	...	106	fPb	div.	1	...	6
565	Jacquemontia violacea	violet	5	...	87	sP+	v.	8	5-10	1 0
566	Jasminum fruticans	shrubby	2	...	107	hS	y.	4	5-9	3
567	Kaulfussia amelloides*	Amellus-like	19 54	85	hA	b.	½	7-8	3	
568	amelloides alba*	white	w.	6	
569	— major*	larger	b.	6	
570	Kennedyia coccinea**	scarlet	17 45	109	gS	s.	6	7-9	4	
571	Marryatti**	Mrs. Marryatt's	4	
572	monophylla**	single-leaved	b.	4	
573	Lantana speciosa	showy	14 59	157	gP+	s.	2	...	6	
574	Lasthenia californica	Californian	19 54	85	hA	y.	1	7-8	3	
575	glabrata	smooth	3	
576	Lathyrus latifolius**	(Everlasting Pea)	17 45	109	hP+	r.	8	7-9	3	

<i>A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)</i>		Col.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.		L.	L.	N. O.	H. & Dur.	Col. of Fl.	feet		s. d.
577	<i>Láthyrys latifólius albus**</i>	17	45	109	hPt	w.	8	7-9	3
578	<i>Napoleonis**</i>	hA	p.	4
579	<i>rotundifólius**</i>	bPt	s.	1½	...	4
580	<i>Lavatèra arborea</i>	16	48	117	hB+	...	6	6-8	4
581	<i>Lawsonia inermis</i>	142	sS	w.	10	...	6
582	<i>Lebretónia coccinea</i>	16	48	117	...	s.	1 0
583	<i>Leptósiphon densiflorus*</i>	5	25	132	hA	p.	¾	7-8	3
584	<i>audrosæcus*</i>	div.	1	...	3
585	<i>— albus*</i>	w.	3
586	<i>— lilæcinus*</i>	li.	3
587	<i>Lencadendron argenteum</i>	22	39	137	gS	y.	8	8-9	6
588	<i>plummosum</i>	4	6-8	6
589	<i>Leucospermum conocarpum</i>	4	25	3	...	6
590	<i>Leycesteria formosa</i>	5	...	79	hS	w. & p.	4	7-8	4
591	<i>Liättris elegans</i>	19	53	85	hPb	p.	2	7-9	4
592	<i>odoratissima</i>	4
593	<i>Ligularia speciosa</i>	...	56	...	hPt	y.	3
594	<i>Linum speciosum</i>	6	25	110	hPb	div.	3	...	1 0
595	<i>Limnanthes Douglasii</i>	10	...	111	hA	w. & y.	¾	7-8	3
596	<i>alba</i>	w.	6
597	<i>grandiflora</i>	w. & y.	3
598	<i>rosea</i>	ro.	6
599	<i>Linaria alpina</i>	14	59	144	hPt	b.	1	6-9	3
600	<i>Linum flavum</i>	5	30	112	fPt	y.	2	6-8	1 0
601	<i>grandiflorum</i>	hA	b.	1	7-8	3
602	<i>— album</i>	w.	3
603	<i>monogynum</i>	hPt	...	1½	...	6
604	<i>perenne</i>	b.	3
605	<i>Lisianthus Russellianus</i>	...	25	100	gA	p.	3	7-9	6
606	<i>Loasa aurantiaca**</i>	18	48	113	hB+	or.	10	6-8	4
607	<i>Herbertii**</i>	hB+	s.	6	7-8	4
608	<i>Pentlandia**</i>	hB+	6-8	4
609	<i>tricolor</i>	hA	3 col.	1½	7-8	3
610	<i>Lobelia caelestis</i>	5	25	114	hB+	az.	½	6-8	4
611	<i>decumbens</i>	b.	4
612	<i>Erius</i>	4
613	<i>— compacta*</i>	¼	...	4
614	<i>— grandiflora*</i>	d. b.	½	...	4
615	<i>gracilis*</i>	hA	7-8	3
616	<i>— alba*</i>	w.	3
617	<i>— bicolor*</i>	b. & w.	3
618	<i>— rosea*</i>	ro.	3
619	<i>formosa</i>	hB+	b.	¾	6-8	6
620	<i>heterophylla</i>	1½	...	4
621	<i>— rosea</i>	ro.	4
622	<i>ramosa</i>	d. b.	4
623	<i>— alba nova</i>	w.	1 0
624	<i>— rubra nova</i>	r.	6
625	<i>cardinalis</i>	gPt	s.	3	...	6
626	<i>ignea</i>	2	...	6
627	<i>inflata</i>	hA	l. b.	1½	7-8	6
628	<i>pinifolia</i>	gPt	y.	...	6-8	6
629	<i>triquetra</i>	b.	1	...	6
630	<i>Nos. 610 to 629</i>	div.	div.	div.	7	0
631	<i>Lophospermum scandens**</i>	14	59	144	gS+	ro. p.	10	6-9	4
632	<i>— Cliftoni**</i>	ro.	6
633	<i>— Hendersoni**</i>	d. ro.	4
634	<i>— Jacksöni**</i>	spot.	6
635	<i>— punctatum novum**</i>	6
636	<i>Rhodochiton</i>	p.	6
637	<i>Lophanthus violaceus</i>	...	58	108	hPt	v.	1½	7-8	4
638	<i>Lötus jacobæus</i>	17	45	109	gA	blk.	1	...	4
639	<i>jacobæus flavus</i>	y.	4
640	<i>Lupinus affinis</i>	16	hA	b. & w.	...	7-9	3
641	<i>bicolor</i>	3
642	<i>esculentus</i>	l. b.	2	...	6
643	<i>Hartwegii</i>	b. & pk.	1½	...	3
644	<i>leptophyllus</i>	b. & cr.	2	...	3

<i>A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)</i>			Cl.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N. O.	H. & Dur.	Col. of Fl.	feet		s. d.
645	Lupinus nova species ex California, Californian		16	45	109	hA	d. b.	2	7-9	6
646	Moritzianus	Moritz's	b.	3
647	mutabilis	variable	var.	3	...	3
648	— Cruickshanksii	Cruickshanks'	3
649	nanus	dwarf	va. b.	1	...	3
650	pubescens	pubescent	hP†	b.	1½	...	3
651	arborescens	tree	y.	6	...	3
652	elegans	elegant	v. & ro.	2	...	3
653	grandifolius	large-leaved	p.	3	...	3
654	hybridus flavus	yellow	y.	2	...	3
655	— purpureo-flavus	purple and yellow	p. & y.	3
656	guatemalensis	Guatemala	d. v.	3
657	polyphyllus	many-leaved	b.	3	...	3
658	— albus	white do.	w.	3
659	Lycnis alpina	alpine	10	30	147	...	pk.	½	7-8	3
660	chalcédonica	(scarlet)	s.	2	...	3
661	— alba	white	w.	3
662	— flore-pleno	double	s.	4
663	flos-Jovis	Jove's Flower	er.	1½	...	3
664	fulgens	glowing	s.	1	...	6
665	Lithrum roseum superbum	superb rose	11	25	115	...	r.	1½	...	4
666	Madaria elegans	elegant	19	54	85	hA	y.	2½	...	3
667	Málope trifida	trifid	16	48	117	...	p.	3
668	grandiflora	large-flowered	3
669	— alba	white	w.	3
670	— purpurea	purple	p.	3
671	Malva miniata	vermilion	hS	ver.	3	...	3
672	mauritiæna zebrina	striped	hA	stri.	2	...	3
673	moschata	musk	hP†	fish.	3
674	Mandevillea suaveolens**	fragrant	5	25	68	sS	w.	30	6-9	6
675	Martynia angularis	angular	14	59	146	gA	l. p.	2	7-9	6
676	caroliniana?	Carolina	va.	4
677	craniolaria	(skull-podded)	w.	4
678	fragrans (formosa)	fragrant	d. p.	4
679	lutea	yellow	y.	4
680	proboscidea	proboscis	l. b.	4
681	Nos. 675 to 680		div.	2 0
682	Maurandya antirrhiniflora**	Snapdragon-flowered	144	gS†	p.	10	4-9	4
683	Barclayana**	Mr. Barclay's	b. & w.	4
684	— alba**	white	w.	4
685	— atropurpurea**	dark purple	d. p.	6
686	— rosea**	rose-coloured	ro.	4
687	semperflorens**	ever-flowering	li.	4
688	Melanthus major	larger	...	58	141	gS	br.	...	5-7	1 0
689	Melilotus altissima	tallest	17	45	109	hP†	w.	6	7-9	3
690	Mesembryanthemum spectabile	showy	12	27	96	gS	er.	1	5-8	6
691	glabrum	smooth	hhA	y.	½	7-8	4
692	pomeridianum	afternoon	¾	...	4
693	tricolor (pyropæum)	three-coloured	r.	¼	...	4
694	— album	white	w.	4
695	Mimosa marginata	marginated	23	51	109	gS	p.	3	6-8	4
696	Mimulus cardinalis	(scarlet)	14	59	144	hhP†	s.	2	...	3
697	cardinalis croceus	saffron	o.	4
698	— atrosanguineus	dark red	d. r.	4
699	— Fortunei	Mr. Fortune's	r.	4
700	— Victoria Regina	Queen Victoria	s.	4
701	— roseus	rose-coloured	ro.	4
702	moschatus	musk	y.	½	...	3
703	quinquevulcrus	five-spotted	spot	1	...	3
704	Smithii	Mr. Smith's	y. sp.	4
705	Momordica Balsamina**	Balsam Apple	21	49	90	gA	y.	4	5-8	6
706	Morina longiflora	long-flowered	2	25	92	gP†	ro.	3	6-8	6
707	Myosotis palustris	(Forget-me-not)	5	...	74	hP†	b. & y.	1	5-10	4
708	alpestris	alpine do.	b.	½	...	4
709	azórica	Azorean (beautiful)	fP†	d. b.	1	...	6
710	Muraltia Heisteria	Heister's	17	43	133	gP	p.	6	5-7	6
711	Myrtus communis	common	12	25	120	gS	w.	...	6-8	6
712	Nelumbium speciosum	showy (Aquatic)	13	35	122	sp	pk.	trai	...	1 0

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)		L.	O.	N.	H.	Col.	Hght.	M. of	Price.
No.		L.	O.	N.	H.	Col.	Hght.	M. of	Price.
713	Nemësia diversifolia*	14	59	144	hhA	var.	feet	s. d.	
714	floribunda*	w. & y.	...	7-9	4
715	versicolor*	var.	4
716	Nemóphila atomaria*	5	25	104	hA	w. sp.	...	6-8	3
717	atomaria cœlestis*	b. sp.	3
718	aurita	p.	1½	...	3
719	— alba oculata novâ	w. & p.	6
720	discoïdalis*	blk.	¾	...	3
721	insignis*	b.	3
722	— alba*	w.	3
723	— grandiflora*	b.	3
724	maculata*	w. & v.	3
725	phacelioides	hP†	v.	1	7-8	3
726	Nos. 716 to 725	div.	div.	div.	2
727	Nerium Oleander, fl. pl.	68	gS	r.	8	6-9	6
728	Nigella hispânica	13	30	138	hA	b.	1	7-8	3
729	Nolana atriplicifolia	5	25	148	...	b.w. & y.	3
730	— alba grandiflora	w.	6
731	paradoxa	b. w. y.	3
732	prostrata	b.	trai	...	3
733	Nouca rosea	74	...	ro.	1½	...	3
734	Nycterinia capensis	14	59	144	fS†	w.	1	7-10	4
735	Lychnida	l. ro.	4
736	selaginoides	w.	4
737	Nymphaea cœrulca	13	25	122	sP	b.	trai	6-9	6
738	Oenothera acaulis	8	...	125	hP†	w.	...	7-8	4
739	conchina	hA	l. ro.	¾	...	3
740	Drummondii	fP†	y.	1	7-9	4
741	macrocarpa	2	...	4
742	rosea	ro.	1½	7-8	3
743	Sellowii	y.	1	6-8	3
744	speciosa	hhA	w.	...	7-8	4
745	taraxacifolia	hP†	...	¾	...	4
746	tetraptera	hA	...	1	...	3
747	Oxalis rosea	10	30	126	fPb	ro.	6
748	rubella	l. r.	6
749	Oxyria chrysanthemoides	19	54	85	hA	y. & w.	3
750	Pœonia Moutan, pl. var.	13	26	138	hS	div.	3	5-7	10
751	Pancrætium illýricum	6	25	65	hPb	w.	1½	5-6	6
752	Papaver amœnum	13	...	127	hA	s. & w.	1	7-8	4
753	crœcum	hP†	...	1½	...	3
754	nudicaule	y.	3
755	orientale	r.	2	...	3
756	pulcherrimum	s.	3	...	4
757	Paspalum elegans	3	26	103	...	ap.	1½	...	3
758	Passiflora adiantifolia**	16	40	128	sS	o.	20	6-9	6
759	alba (Mayana)**	gS	w.	6
760	cœrulca**	hS	b.	6
761	edulis**	sS	w.	6
762	Pclargonium hybridum	...	42	101	gS	div.	3	...	10
763	hybridum novum	10
764	zonale	s.	6
765	— globosum, novum	2	...	10
766	— nanum	1	...	6
767	— roseum	ro.	2	...	6
768	Pennisetum setosum	3	25	103	hA	ap.	2	7-8	3
769	Pentstemon campanulatum	14	59	144	hl†	b.	...	7-9	3
770	Bradburyi	r.	3
771	digitalis	w.	3
772	— roseum	ro.	4
773	Hartwegii(gentianoides)	r.	4
774	— album	w.	4
775	— cœcineum	s.	4
776	— M'Eweni	s. & w.	4
777	Murrayanum	s.	10
778	ovatum	b.	3
779	procœrum	p.	3
780	Richardsoni	s.	4

A — indicates a variety. () That the word is not literally translated, or is superadded (See page 5).			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
781	Pentstemon idseum	rose-coloured	14	59	144	hP†	ro.	2	7-9	3
782	speciosum	showy	b.	3
783	Petunia phœnicea	purple	5	45	148	hhP†	p.	...	6-9	3
784	phœnicea rubra	red	r.	4
785	— grandiflora	large-flowered	p.	4
786	— — alba	white	w.	4
787	— — atropurpurea	dark purple	d. p.	4
788	— — rosea	rose-coloured	ro.	4
789	— striatiflora	striped-flowered	stri.	4
790	— viridicincta	green-bordered	div.	1 0
791	nyctaginiflora	(sweet-scented)	w.	3
792	Nos. 783 to 791		div.	3 0
793	Phacelia conspicua	conspicuous	...	25	104	hA	b.	...	7-8	3
794	Phlox Drummondii	Mr. Drummond's	132	hhA	div.	1½	7-10	6
795	Drummondii alba	white	w.	6
796	— coccinea	scarlet	s.	6
797	— Leopoldiniæna	King of the Belgians	cr. & w.	6
798	— oculata alba	white-eyed	r. & w.	6
799	— — purpurea	purple-eyed	w. & p.	6
800	hybrida superba	superb hybrid	hP†	div.	2	...	6
801	Physolobium carinatum**	keel-shaped	10	...	109	gS	s.	4	6-8	6
802	Physostegia speciosa	showy	14	58	108	hP†	pk.	2	...	3
803	Phytolacca decandra	(ten-stamened)	10	33	129	...	p.	5	7-8	3
804	Pinœlea lanata	woolly	2	25	151	gS	w.	6	5-7	1 0
805	Pittosporum viridiflorum	green-flowered	5	...	130	...	g.	...	5-6	6
806	undulatum	undulated	w. & y.	4	2-6	6
807	Platystemon californicus	Californian	13	...	127	hA	y.	1	6-9	6
808	Platystigma linearis	linear	fP†	...	½	7-8	6
809	Podalyria sericea	silky	10	...	109	gS	p.	6	1-9	6
810	styracifolia	Styrax-leaved	pk.	...	5-7	6
811	Podolepis auriculata	auriculated	19	54	85	hA	sul.	1	7-8	4
812	chrysanthia*	yellow-flowered	y.	4
813	gracilis*	slender	pk.	4
814	— alba*	white	w.	4
815	rugata	wrinkled-sealed	l. y.	4
816	Podotheca capitata	headed	hhA	y.	2	...	4
817	Poinciana Gilliesii	Mr. Gillies's	10	25	109	gS	6-9	6
818	— pulcherrima	handsomest	sS	r. & y.	6
819	Polemonium pulcherrimum	prettiest	5	...	132	hP†	b.	¾	7-8	6
820	Portulaca Thellusoni	Mr. Thelluson's	11	...	135	hhA	cr.	¼	6-8	4
821	Thellusoni alba	white, new	w.	4
822	— coccinea	scarlet, new	s.	6
823	— rosea	rosy, new	ro.	6
824	— striatiflora	striped-flowered	w. & r.	4
825	— sulphurea	sulphur, new	sul.	6
826	— Thorburni	Thorburn's	y. & r.	4
827	— splendens	splendid	ro. p.	4
828	— — grandiflora	large-flowered	6
829	Nos. 820 to 828		div.	¾	...	3 6
830	Potentilla formosa	beautiful	12	35	140	hP†	p.	1	...	3
831	atrosanguinea	dark-red	d. r.	3
832	Hopwoodiana	Mr. Hopwood's	l. ro.	3
833	— rosea	rose-coloured	ro.	3
834	Mackayana	Mr. Mackay's	y. & pk.	3
835	pulcherrima	most beautiful	y.	3
836	rupestris	rock	w.	3
837	Thomasi	Thomas's	y.	3
838	Primula cortusoides	Cortusa-like	5	25	136	...	p.	½	6-8	6
839	farinosa	(mealy)	r.	¼	...	6
840	pedunculata	pedunculated	li.	6
841	sinensis	Chinese	gP†	r. & w.	1	5-7	6
842	— fimbriata, pl. var.	— fringed, mixed	div.	1 0
843	— — alba	— white	w.	1 0
844	— — rosea	— rose-coloured	ro.	1 0
845	— variegata	— variegated	var.	1 0
846	Protea, pl. sp.	(5 fine species)	4	...	137	gS	div.	div.	div.	2 6
847	Rafnia triflora	three-flowered	16	45	109	...	p.	2	6-7	6
848	Ranunculus asiaticus	(Persian)	13	35	138	hPb	div.	1	...	6

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	N. of Flow.	Price.
849	Rhodanthe Manglèsii*	Capt. Manglès'	19	54	85	hhA	ro.	1	7-8	6
850	Rhododendron hybridum	hybrid	10	25	94	hS	div.	div.	5-7	1 0
851	arborescens album	white Tree	hT	w.	20	6-8	6
852	— elegantissimum	most elegant	r.	6
853	Roëlla ciliata	ciliated	5	...	77	gS	p. & w.	1	6-10	6
854	Rosa alpina pimpinellifolia	Pimpinell-leaved	12	35	140	hS	div.	3	div.	4
855	sp. scandens	climbing	r. & w.	12	...	4
856	villosa	(wild)	ro.	8	6-9	4
857	Rudbeckia fulgida	glowing	19	55	85	hP+	y.	3	7-8	4
858	Salpiglossis sinuata	sinuated	14	59	148	hhA	div.	1½	7-9	4
859	sinuata alba nova	new white	w.	4
860	— atropurpurea	dark purple	d. p.	4
861	— azurea	azure	b.	4
862	— coccinea nova	new scarlet	s.	1 0
863	— grandiflora	large-flowered	div.	4
864	— sulphurea splendens	splendid yellow	y.	4
865	— striata	striped	stri.	4
866	Nos. 858 to 865		div.	3 0
867	Salvia bicolor	two-coloured	2	25	108	hP+	b. & w.	2	...	3
868	coccinea	scarlet	hhP+	s.	3
869	patens	(superb blue)	b.	6
870	— alba	white	w.	6
871	splendens	splendid	s.	6
872	Sanvitalia procumbens	procumbent	19	54	85	hhA	y.	trai	7-8	3
873	Sapouaria calabrica*	Calabrian	10	26	147	hA	r.	½	6-9	4
874	Saxifraga hypnoides	Moss-like	143	hP+	w.	½	5-7	4
875	sp. ex Texas	Texian species	r.	1	7-8	6
876	Schinus molle	(elegant leaved)	22	45	150	gS	g.	8	...	6
877	Schistanthe peduncularis	pedunculated	14	59	144	...	br.	1	...	4
878	Schizanthus Grahami	Mr. Graham's	s. & o.	2	...	4
879	Grahami carneus	flesh-coloured	flsh.	4
880	retusus	(blunt-leaved)	r. & o.	4
881	— albus	white (extra)	w. & y.	4
882	gracilis ex Chili	(new Chilean species)	hA	v.	1½	...	3
883	humilis*	dwarf	li. & cr.	1	...	3
884	obtusifolius	obtuse-leaved	va.	1¼	...	3
885	pinnatus	pinnated	l. py.	3
886	— Priestii	Priest's	w.	3
887	— venustus	beautiful	d. py.	3
888	porrigens	spreading	va.	3
889	Schizopetalon Walkeri*	Walker's	15	61	89	...	w.	¾	...	6
890	Schötia tamarindifolia	Tamarind-leaved	10	25	109	gS	c.	6	...	1 0
891	Scyphanthus elegans**	elegant	18	48	113	gP+	y.	4	...	6
892	Sedum caruleum	blue	10	30	88	hA	b.	½	...	3
893	Serruria glomerata	bunch-flowered	4	25	137	gS	p.	¾	6-8	6
894	Silene acaulis	stemless	10	28	147	hP+	pk.	¾	...	3
895	compacta	compact	hB	...	1	...	3
896	fimbriata	fringed	hP+	w.	1½	...	3
897	ornata	ornamented	p.	1	...	3
898	— alba	white	w.	3
899	pendula	pendulous	hA	ro.	3
900	pieta	painted	pk.	3
901	pulchella	pretty	s.	3
902	regia	royal	hP+	3
903	speciosa	showy	hA	r.	3
904	Schafta	Schafta	hP+	ro.	3
905	sibirica	Siberian	g. & y.	1½	...	3
906	Solanum aggregatum	clustered	5	25	148	gS	p.	4	6-7	6
907	crassifolium	thick-leaved	v.	3	...	6
908	laciniatum	(cut-leaved)	6
909	Sollya angustifolia**	narrow-leaved	130	...	b.	6	6-9	6
910	heterophylla**	various-leaved	6
911	Sparaxis tricolor, var.	three-coloured	3	...	106	FPb	div.	1	6-7	6
912	Sphanogyne speciosa	showy	19	55	85	hhA	y.	...	7-8	3
913	Stachys speciosa	showy	14	58	108	hP+	s.	2	...	6
914	Statiec formosa	beautiful	5	30	131	...	pk.	1	...	6
915	grandiflora	large-flowered	gS	r.	6
916	Stenactis speciosa	showy	19	54	85	hP+	p.	1½	...	3

A — indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)						L.	O.	N.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.						L.	O.	N.	H. & Dur.	Col. of Fl.	feet		s. d.
917	Stèvia purpùrca	purple	19	53	85	hP†	p.	1½	7-8	3			
918	serràta	serrated	w.	3
919	Stipa peimàta	(Feather-Grass)	3	26	103	...	ap.	2	6
920	Streptocarpus Rexii	Rex's	2	25	73	gP†	b.	½	6-8	6	6
921	Sutherlandia frutescens	shrubby	17	45	109	hS	s.	3	7-8	3	3
922	grandiflora	large-flowered	3
923	Tacsonia pinnatistipula**	pinnate-stipuled	16	40	128	gS	r.	15	6-9	6	6
924	Tagètes lùcida	shining	19	54	85	gP†	y.	1	7-8	4	3
925	signàta (temuifolia)	slender-leaved	hhA	...	1½	3
926	Telèkia speciosa	showy	hP†	...	4	3
927	Thàlia dealbàta	whitened Aquatic	1	25	118	gP	b.	3
928	Thunbergia alata**	winged	14	59	63	gP†	bff. & d.	6	6-9	4	4
929	alata alba**	white	w. & d.	4
930	— aurantiaca**	orange	o. & d.	4
931	— Bakèri**	Mr. Baker's	w.	4
932	— mesoleuca**	white-centred	o. & w.	4
933	— sulphùrca**	sulphur	snl.	4
934	— var. nova**	new variety	y. & w.	4
935	Tigridia pavonia var.	(Tiger-flower)	16	38	106	fPb	div.	1	7-9	4	4
936	sp. ex Texas	Texian species	b.	½	...	1 0	0	
937	Torènia scàbra (Artanema)	rough	14	59	144	gP†	...	3	6-7	4	
938	Traehèlium ceruleum	blue	5	25	77	hhB†	...	2	7-8	3	
939	ceruleum album	white	w.	6
940	Trifolium elegans	elegant	17	45	109	hP†	l. r.	1	3
941	Tropæolum peregrinum**	(Cunary-Birds)	8	25	152	hhA	y.	6	7-9	3	
942	brachyceras**	short-horned	gPb†	...	4	6
943	Jarrattii**	Mr. Jarratt's	s. & y.	6
944	Lobbiànum**	Mr. Lobbi's	gP†	cr.	6
945	Moritzianum**	Moritz's	gA	s. & y.	6
946	— ornatum**	ornamented	tip'd	1 0	0	
947	pentaphyllum**	five-leaved	gPb†	o. & y.	6
948	Sheuermanniànum**	Sheuermann's	hA	tip'd	...	1 0	0	
949	Smithiànum**	Mr. Smith's	o	6
950	Tweedia carulea**	blue	5	26	69	hP	b.	3
951	Venèdium calendulacum	Calendula-like	19	56	85	hhA	y.	1	6-9	6	
952	sp. eximia	fine species	6
953	Veràtrum album	white	23	51	119	hP†	l. y.	3	6-8	6	
954	Lobeliànum	Lobel's	w.	6
955	nigrum	black	d. p.	6
956	Verbascum spectabile	showy	5	25	148	...	y. & p.	2	7-8	6	
957	versicolor	versicolor	va.	3
958	Verbèna Aubletia	Aublet's	14	59	157	hhB†	p.	1	6-9	3	
959	Drummondii	Mr. Drummond's	li.	3
960	pulehella	pretty	p.	2	3
961	puleherrina	prettiest	d. r.	1	3
962	venosa*	veined	ro.	3
963	Vinca ròsea et alba	rose and white	5	25	68	sS	ro. & w.	...	3-9	6	
964	Viola odoràta, pl. var.	fragrant, mixed	158	hP†	div.	...	5-7	6	
965	Viscària cœli-ròsa	Rose of Heaven	10	30	147	hA	flsh.	...	7-8	3	
966	oculàta	(dark-eyed)	r.	3
967	— alba	white	w.	3
968	Wahlenbergia lobelioides	Lobelia-like	5	25	77	...	b.	½	3
969	Yucca aloëfolia	Aloe-leaved	6	...	110	fS	w. & g.	3	8-10	6	
970	Zauselmèria californica	Californian	8	...	125	...	s.	1½	7-9	6	
971	Zinnia elegans	elegant	19	54	85	hhA	v.	2	...	4	
972	elegans alba	— white	w.	4
973	— albo-lùtea	— white and yellow	w. & y.	4
974	— aurantiaca	— orange	o.	4
975	— carnea	— flesh-coloured	flsh.	4
976	— coccinea	— scarlet	s.	4
977	— major	— large do.	4
978	— flava	— yellow	y.	4
979	— kermesina	— crimson	cr.	4
980	— lilacina	— lilac	li.	4
981	— miniata	— vermilion	ver.	4
982	— purpùrea	— purple	p.	4
983	— ròsea	— rose-coloured	ro.	4
984	— sanguinea	— blood-red	d. r.	4

A—indicates a variety. () That the word is not literally translated, or is superadded. (See page 5.)

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
985	<i>Zinnia elegans straminea</i>
986	— <i>elegans, striata</i>

FLOWERS HAVING POPULAR NAMES.

The following plants are best known by the Popular Names, but the Scientific Name being necessary to show the genus to which they belong, it is also given. Such Popular Names as *Convolvulus Minor*, *Flos Adonis*, *White Candytuft*, *Columbine*, &c., have little or no affinity with the Latin, and are not to be considered as translations.

A — is employed to indicate varieties.

No.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
987	Aster, Chinese, mixed	19	54	85	hhA	div.	feet 1½	8-10	s. d. 3
988	German, mixed	6
989	globe-flowered	3
990	Perfection	1 0
991	pyramidal	3
992	Turkey	d. r.	3
993	dwarf	div.	1	7-9	3
994	Auricula, fine alpine	5	25	136	hP	...	½	5-7	6
995	finest prize	fP	2 6
996	Balsam, fine double, m.	71	tA	...	2	6-9	6
997	double purple	p.	3
998	— rose	ro.	3
999	— scarlet	s.	3
1000	— spotted	div.	6
1001	— striped	6
1002	— white	w.	3
1003	Camellia-flowered	div.	6
1004	— blue and white	b. & w.	3
1005	— earmine & white	c. & w.	3
1006	— crimson & white	cr. & w.	3
1007	— rose and white	ro. & w.	3
1008	— violet and white	v. & w.	3
1009	rose-flowered	div.	6
1010	— flesh-coloured	flesh.	3
1011	— fiery-red	s.	3
1012	— purple	p.	3
1013	— sulphur, superb	sul.	6
1014	— white	w.	3
1015	new dwarf	div.	1	...	6
1016	— crimson	cr.	3
1017	— lilac	li.	3
1018	— peach	peh.	3
1019	— scarlet	s.	3
1020	Nos. 996 to 1019	div.	6 6
1021	Candytuft, fragrant	15	60	89	hA	w.	3
1022	purple	p.	3
1023	new crimson	cr.	3
1024	Rocket	w.	3
1025	rose	ro.	3
1026	two-coloured	w. & p.	3
1027	white	w.	3
1028	Nos. 1021 to 1027	div.	1 6
1029	Canterbury Bell, p.	5	25	77	hP+	p.	2½	...	3
1030	white	w.	3
1031	double purple	p.	3
1032	— lilac	li.	3
1033	— white	w.	3
1034	Capsicum, fine mixed	148	tA	...	1½	...	6
1035	Carnation, double	10	26	147	hP	div.	2	...	1 0
1036	double, splendid	fP	2 6
1037	Catchfly, Lobel's red	hA	r.	1	6-7	3
1038	white	w.	3
1039	Chrysanthemum tricol.	19	54	85	...	3col.	...	6-10	3
1040	tricolor, splendid	3

A — is employed to indicate varieties.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1041	Chrysanthemum, tr. y.	<i>Chrysan. tricolor flavum</i>	19	54	85	hA	y.	1	6-10	3
1042	showy	<i>speciosum</i>	3
1043	yellow	<i>coronarium</i>	3	...	3
1044	white	— <i>album</i>	w.	3
1045	Clary, purple	<i>Salvia Horminum</i>	2	25	108	...	p.	1	7-8	3
1046	red	<i>Horminum rubra</i>	r.	3
1047	Cockseomb, dwarf	<i>Celsia cristata, nana</i>	5	...	64	tA	er.	4
1048	rosy crimson	<i>cristatana kermesina</i>	l. er.	4
1049	tall scarlet	— <i>clata coccinea</i>	s.	1½	...	4
1050	Columbine, double	<i>Aquilegia vulgaris, fl. pl.</i>	13	30	138	hP+	div.	2	6-8	3
1051	Convolvulus major**	<i>Ipomœa purpurea</i>	5	25	87	hhA	...	10	7-10	3
1052	major, splen., 20v.**	<i>purpurea splendida</i>	1	0
1053	— beautiful**	— <i>formosa</i>	ro.	3
1054	— crimson**	— <i>kermesina</i>	er.	3
1055	— dark blue**	— <i>atrocarulea</i>	d. b.	3
1056	— dark purple**	— <i>atropurpurea</i>	d. p.	3
1057	— dark violet**	— <i>atroviolacea</i>	d. v.	3
1058	— flesh-coloured**	— <i>carnea</i>	flsh.	3
1059	— light red**	— <i>rubella</i>	l. r.	3
1060	— lilac & red**	— <i>lilacino-rubra</i>	var.	3
1061	— rose**	— <i>rosea</i>	ro.	3
1062	— spotted**	— <i>punctata</i>	spot.	3
1063	— striped**	— <i>striata</i>	stri.	3
1064	— violet**	— <i>violacea</i>	v.	3
1065	— white**	— <i>alba</i>	w.	3
1066	Convolvulus minor	<i>Convolvulus tricolor</i>	hA	l. b.	1	6-9	3
1067	minor, azure	<i>tricolor azureus</i>	az.	3
1068	— dark purple	— <i>atropurpureus</i>	d. p.	3
1069	— large-flowered	— <i>grandiflorus</i>	p.	3
1070	— lilac	— <i>lilacinus</i>	li.	3
1071	— striped	— <i>striatus</i>	stri.	3
1072	— violet	— <i>violaceus</i>	v.	3
1073	— white & yellow	— <i>albo-flavus</i>	w. & y.	3
1074	fringed	<i>ciliatus</i>	pk.	3
1075	Nos. 1052 to 1074	div.	div.	6-10	5 6
1076	Cowslip, fine mixed	<i>Primula elatior, pl. var.</i>	136	hP+	3-7	3
1077	Cyanus, sky-blue	<i>Centaurea Cyanus</i>	19	55	85	hA	b.	2	6-9	4
1078	Egg-Plant, purple	<i>Solanum ovigerum</i>	5	25	148	tA	p. fr.	...	7-9	3
1079	white	<i>ovigerum album</i>	w. fr.	3
1080	Flos Adonis	<i>Adonis æstivatis</i>	13	35	138	hA	s.	1	7-8	3
1081	Fraxinella, white	<i>Dietamnus Fraxinella</i>	10	25	141	hP	w.	3	6-8	3
1082	red	<i>Fraxinella rubra</i>	r.	3
1083	French Honeysuckle	<i>Hedysarum coronarium</i>	17	45	109	hB+	s.	2	7-8	3
1084	white	<i>coronarium album</i>	w.	3
1085	Globe Amaranthus, p.	<i>Gomphrena globosa</i>	5	25	64	gA	p.	2½	7-9	4
1086	flesh-coloured	<i>globosa carnea</i>	flsh.	4
1087	striped	— <i>striata</i>	stri.	4
1088	white	— <i>alba</i>	w.	4
1089	superb deep yellow	<i>sp. superba, v. No. 480.</i>	o. y.	1 0
1090	Gourd, Bottle	<i>Cucurbita lagenaria</i>	21	49	90	fA	w.	trai	...	4
1091	Hereules' Club	<i>lagenaria elevata</i>	4
1092	Elector's Bonnet	<i>melopoïpo, var.</i>	y.	3
1093	orange	<i>aurantia</i>	3
1094	pear	<i>ovifera pyriformis</i>	3
1095	Turban	<i>var. liaraformis</i>	3
1096	Snake	<i>Cucumis flexuosa</i>	4
1097	Hawkweed, red	<i>Crêpis rubra</i>	19	53	85	hA	r.	1	6-7	3
1098	white	<i>rubra alba</i>	w.	3
1099	yellow	<i>Tolpis barbata</i>	y.	3
1100	silvery	<i>barbata argentea</i>	sil.	3
1101	Heartscase (Pansy), ex.	<i>Viola tricolor hybrida</i>	5	25	158	hP+	div.	...	6-10	1 0
1102	brown red	<i>tricolor xerampelina</i>	r. br.	1 0
1103	striped	— <i>striata</i>	stri.	1 0
1104	Hollyhock, Antwerp	<i>Althœa ficifolia</i>	16	48	117	hP	bff.	7	6-9	3
1105	rose	<i>rosea</i>	ro.	3
1106	black	— <i>nigra</i>	blk.	3
1107	crimson	— <i>kermesina</i>	er.	3
1108	purple	— <i>purpurea</i>	p.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1109	Hollyhock, red	<i>Althæa rosea rubra</i>	16	48	117	hP	r.	7	6-9	3
1110	white	— <i>alba</i>	w.	3
1111	yellow	— <i>lutea</i>	y.	3
1112	Honesty, purple	<i>Lunaria biennis</i>	15	60	89	hB†	p.	3	5-6	3
1113	white	— <i>bicinis alba</i>	w.	3
1114	Honey-flower, larger	<i>Cerinthe major</i>	5	25	74	hA	y. & p.	2	7-8	3
1115	smaller	— <i>minor</i>	y.	1	...	3
1116	Horn Poppy, scarlet	<i>Glaucium phœniceum</i>	13	...	127	...	s.	2	...	3
1117	yellow	— <i>flavum</i>	y.	3
1118	violet	<i>Rumex hybrida</i>	v.	3
1119	Ice Plant	<i>Mesembryanth. crystallinum</i>	12	27	96	hhA	w.	3
1120	Jacobaea, double	<i>Senecio elegans, fl. pleno</i>	19	54	85	hA	div.	1½	7-9	3
1121	double crimson	— <i>elegans kermesina</i>	cr.	3
1122	— purple	— <i>purpurea</i>	p.	3
1123	— red	— <i>rubra</i>	r.	3
1124	— rose	— <i>rosea</i>	ro.	3
1125	— violet	— <i>violetacea</i>	v.	3
1126	— white	— <i>alba</i>	w.	3
1127	Larkspur, dwarf	<i>Delphinium Ajacis humile</i>	13	25	138	...	div.	¾	7-8	3
1128	dwarf, German	— <i>humile, var.</i>	6
1129	— blue	— <i>cæruleum</i>	b.	3
1130	— hyacinth-like	— <i>hyacinthoides</i>	div.	6
1131	— rose	— <i>roseum</i>	ro.	3
1132	— striped	— <i>striatum</i>	stri.	3
1133	— white	— <i>album</i>	w.	3
1134	tall German	— <i>elatior, var.</i>	div.	1½	...	6
1135	— blue	— <i>cæruleum</i>	b.	3
1136	— rose	— <i>roseum</i>	ro.	3
1137	— white	— <i>album</i>	w.	3
1138	German branching	<i>Consolida</i>	div.	2	7-9	6
1139	— purple	— <i>purpureum</i>	p.	3
1140	— rose	— <i>roseum</i>	ro.	3
1141	— striped	— <i>striatum</i>	stri.	3
1142	— white	— <i>album</i>	w.	3
1143	Lavatera, red	<i>Lavatera trimestris</i>	16	48	117	hA	r.	3	...	3
1144	white	— <i>trimestris alba</i>	w.	3
1145	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	64	...	r.	...	7-8	3
1146	Lupinus, Dutch	<i>Lupinus canaliculatus</i>	16	45	109	...	b.	2½	6-9	3
1147	large blue	— <i>hirsutus</i>	3
1148	— rose	— <i>pilosus</i>	ro.	3
1149	small blue	— <i>angustifolius</i>	b.	2	...	3
1150	yellow	— <i>luteus</i>	y.	1½	...	3
1151	straw-coloured	— <i>stramineus</i>	l. y.	3
1152	white	— <i>albus</i>	w.	1½	...	3
1153	Marigold, French	<i>Tagetes patula</i>	19	54	85	hhA	div.	...	7-10	3
1154	French, dwarf	— <i>patula nana</i>	br.	1	...	3
1155	— superb striped	— <i>striata superba, fl. pl.</i>	stri.	1½	...	4
1156	— unique	— <i>simpliciflora striata</i>	y. & br.	3
1157	— very dwarf, new	— <i>nanissima nova</i>	br.	½	...	4
1158	— yellow	— <i>flava nova</i>	y.	4
1159	African	— <i>crecta</i>	o. & y.	2	...	3
1160	— orange	— <i>aurantiaca</i>	o.	3
1161	— lemon	— <i>citrina</i>	lem.	3
1162	— very double	— <i>plenissima</i>	o.	4
1163	— yellow	— <i>flava</i>	y.	4
1164	Cape	<i>Calendula pluvialis</i>	...	56	...	hA	w. & p.	1	...	3
1165	hybrid	— <i>hybrida</i>	w.	...	7-8	3
1166	superb garden	— <i>officinalis superba</i>	o.	3
1167	Marvel of Peru	<i>Mirabilis Jalapa</i>	3	25	121	hP†	div.	2	6-8	3
1168	carmine and scarlet	— <i>Jalapa miniato-coccinea</i>	var.	4
1169	gold-striped	— <i>luteo-striata</i>	stri.	3
1170	hybrid, new	— <i>hybrida nova</i>	var.	4
1171	scarlet	— <i>coccinea</i>	s.	4
1172	silver-striped	— <i>argenteo-striata</i>	stri.	3
1173	superb, new	— <i>superba nova</i>	var.	4
1174	white	— <i>alba</i>	w.	3
1175	yellow	— <i>flava</i>	y.	3
1176	sweet-scented	— <i>longiflora</i>	w.	3

<i>A — is employed to indicate varieties.</i>			L.Cl.	L.O.	N.O.	H. & Dmr.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
1177	Marvel of Pern, purple	<i>Mirabilis Jalapa, lon. pur.</i>	3	25	121	fPb	p.	2	6-8	4
1178	Mignonette (oz. 6d.)	<i>Reseda odorata</i>	11	28	139	hA	bff.	1	...	3
1179	new large-flowered	<i>odorata grandiflora</i>	1½	...	4
1180	Nasturtion, new dwarf	<i>Tropaeolum minus</i>	8	43	152	...	y. & r.	1	6-9	3
1181	three-spotted	<i>tripunctatum</i>	y. & s.	3
1182	scarlet, dwarf	<i>minus dubium</i>	s.	1½	...	3
1183	tall orange	<i>minus aurantiacum</i>	o.	4	...	3
1184	— carmine	— <i>miniatum</i>	ear.	3
1185	— crimson	— <i>kermesinum</i>	cr.	3
1186	— Shilling's	— <i>Shillingii</i>	spot.	3
1187	Palma Christi, major	<i>Ricinus communis major</i>	21	49	95	hA	yh. g.	6	7-8	3
1188	Pea, Lord Anson's**	<i>Lathyrus magellanicus</i>	17	45	109	hP†	b.	...	6-8	3
1189	Tangier**	<i>tingitanus</i>	hA	er.	4	...	3
1190	— striped**	— <i>striatus</i>	stri.	3
1191	Pea, Sweet** (lb. 3s.)	<i>odoratus</i>	div.	6	...	3
1192	black**	— <i>niger</i>	blk.	3
1193	painted Lady**	— <i>pictus</i>	va.	3
1194	purple**	— <i>purpureus</i>	p.	3
1195	— striped**	— <i>striatus</i>	p. str.	3
1196	scarlet**	— <i>coccineus</i>	s.	3
1197	— striped**	— <i>striatus</i>	s. str.	3
1198	white**	— <i>albus</i>	w.	3
1199	Persicaria, red	<i>Polygonum orientale</i>	8	28	134	...	r.	4	7-8	3
1200	Picotee, double	<i>Dianthus Caryophyllus, p.</i>	10	26	147	hP	div.	2	6-9	1 0
1201	finest double	<i>Car. punctatus, extra</i>	fP	2 6
1202	Polyanthus, fine	<i>Primula elatior polyantha</i>	5	25	136	hP†	...	¾	5-7	3
1203	extra fine	<i>polyantha var.</i>	1 0
1204	Poppy, double	<i>Papaver somniferum, fl. pl.</i>	13	...	127	hA	...	2	7-8	3
1205	double fringed	<i>somniferum fimbriatum</i>	s.	3
1206	— scarlet	— <i>coccineum</i>	3
1207	— striped	— <i>striatum</i>	str.	3
1208	— white	— <i>album</i>	w.	3
1209	— new hybrid	— <i>hybridum novum</i>	div.	4
1210	— — Peony	— <i>paoniaeflorum</i>	4
1211	— — superb	— <i>superbum</i>	4
1212	dwarf Carnation	<i>Rheas caryophylloides</i>	1	...	3
1213	— double French	<i>Rheas flore-pleno</i>	3
1214	— new rose	— <i>roseum novum</i>	ro.	4
1215	— — scarlet	— <i>coccineum</i> „	s.	4
1216	— — white	— <i>album</i> „	w.	4
1217	Primrose, yellow	<i>Primula vulgaris</i>	5	...	136	hP†	y.	¼	5-7	3
1218	Prince's Feather, large	<i>Amaranthus speciosus</i>	21	40	64	hA	p.	2½	7-8	3
1219	common	<i>hypochoeridicus</i>	2	...	3
1220	Quaking Grass	<i>Briza maxima</i>	3	26	103	...	ap.	1	...	3
1221	slender	<i>gracilis</i>	3
1222	Rocket, purple	<i>Hesperis matronalis</i>	15	61	89	hP	p.	...	6-9	3
1223	sweet	<i>tristis</i>	w.	3
1224	Rose Campion	<i>Lychnis coronaria</i>	10	31	147	hP†	er.	2½	...	3
1225	Scabious, new dwarf	<i>Scabiosa nana</i>	4	25	92	hA	div.	1	7-8	3
1226	dark purple	<i>atropurpurea</i>	hP†	d. p.	2	...	3
1227	— crimson	— <i>kermesina</i>	cr.	3
1228	lilac and white	— <i>lilacino-alba</i>	var.	3
1229	purple	— <i>purpurea</i>	p.	3
1230	Sensitive Plant	<i>Mimosa pudica</i>	23	51	109	gS	pk.	...	7-9	4
1231	Stock, dwarf German	<i>Matthiola an. densiflora</i>	15	61	89	hA	div.	1	6-9	6
1232	dwarf azure	<i>annua densiflora az.</i>	b.	4
1233	— crimson	— <i>densiflora kermesina</i>	cr.	4
1234	— dark carmine	— <i>atro-miniata</i>	d. car.	4
1235	— — crimson	— <i>atro-kermesina</i>	d. cr.	4
1236	— light blue	— <i>late-carulea</i>	l. b.	4
1237	— new sulphur	— <i>sulphurea nova</i>	l. y.	4
1238	— rose	— <i>rosea</i>	ro.	4
1239	— violet	— <i>violacea</i>	v.	4
1240	— white	— <i>alba</i>	w.	4
1241	large-flowered, new	— <i>grandiflora nova</i>	div.	6
1242	— blue	— <i>caerulea</i>	b.	4
1243	— dark carmine	— <i>atro-miniata</i>	d. car.	1	6-9	4
1244	— light blue	— <i>caeruleseens</i>	l. b.	4

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	N. of Flow.	Price.
No.								feet		s. d.
1245	Stock, large-flowered	<i>Mathiola an. grand. rōsea</i>	15	61	89	hhA	ro.	1	6-9	4
1246	— white	<i>annua grandiflora alba</i>	w.	4
1247	very dwarf, new	— <i>nanissima nōva</i>	div.	½	...	6
1248	— carmine	— <i>miniata</i>	ear.	6
1249	— dark blue	— <i>atro-cærulea</i>	d. b.	6
1250	— flesh-coloured	— <i>carnea</i>	flsh.	6
1251	— white	— <i>alba</i>	w.	6
1252	Ten-week, English	— <i>ramōsa</i>	div.	1¼	...	3
1253	— purple	— <i>purpurea</i>	p.	3
1254	— pyramidal	— <i>pyramidalis</i>	w.	3
1255	— scarlet	— <i>coccinea</i>	s.	3
1256	— Victoria	— <i>atropurpurea</i>	d. p.	3
1257	— white	— <i>alba</i>	w.	3
1258	Wall-flower-leaved	— <i>cheirifolia (græca)</i>	div.	1	...	3
1259	— purple	— <i>purpurea</i>	p.	3
1260	— rose	— <i>rōsea</i>	ro.	3
1261	— scarlet	— <i>coccinea</i>	s.	3
1262	— white	— <i>alba</i>	w.	3
1263	Intermediate	— <i>internedia</i>	div.	1½	7-10	6
1264	— blue	— <i>cærulea</i>	b.	4
1265	— rose	— <i>rōsea</i>	ro.	4
1266	— scarlet	— <i>coccinea</i>	s.	4
1267	— white	— <i>alba</i>	w.	4
1268	Brompton	<i>simplicicaulis</i>	hhB	div.	2½	5-7	6
1269	— purple	— <i>purpurea</i>	p.	4
1270	— scarlet	— <i>coccinea</i>	s.	4
1271	— white	— <i>alba</i>	w.	4
1272	Imperial, 6 var.	— <i>semperflorens, pl. v.</i>	hP+	div.	1½	6-10	6
1273	— blue	— <i>cærulea</i>	b.	4
1274	— crimson	— <i>kermesina</i>	er.	4
1275	— rose	— <i>rōsea</i>	ro.	4
1276	— rosy carmine	— <i>rōseo-miniata</i>	ro. ear.	4
1277	— white	— <i>alba</i>	w.	4
1278	Queen, 10 var.	<i>incana pl. var.</i>	hB	div.	...	5-7	6
1279	— purple	— <i>purpurea</i>	p.	3
1280	— scarlet	— <i>coccinea</i>	s.	3
1281	— white	— <i>alba</i>	w.	3
1282	Sunflower, double tall	<i>Helianthus annuus fl. pl.</i>	19	55	85	hA	y.	6	7-9	3
1283	double dwarf	<i>indicus</i>	2	...	3
1284	Californian, double	<i>californicus, fl. pl.</i>	d. y.	3	...	4
1285	Texian, new	<i>sp. ex Texas</i>	o. ?	6
1286	Sweet Briar	<i>Rosa rubiginosa</i>	12	35	140	hS	pk.	5	5-7	3
1287	Sweet Sultan, purple	<i>Centaurea moschata</i>	19	55	85	hA	p.	2	7-9	3
1288	— white	<i>moschata alba</i>	w.	3
1289	yellow	<i>suavolens</i>	y.	3
1290	Venus'-Looking-Glass	<i>Campanula Spéculum</i>	5	25	77	...	b.	4	6-8	3
1291	blush	<i>Spéculum rubicunda</i>	blsh.	3
1292	white	— <i>alba</i>	w.	3
1293	large purple	<i>pentagonia</i>	p.	3
1294	— white	— <i>alba</i>	w.	3
1295	Venus'-Navel-wort	<i>Cynoglossum linifolium</i>	74	1	7-8	3
1296	Virginian Stock, red	<i>Malcōmia maritima</i>	15	61	89	...	r.	½	6-7	3
1297	— white	<i>maritima alba</i>	w.	3
1298	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hS	d. br.	2	5-9	3
1299	— yellow	<i>Cheiri flavus</i>	y.	3
1300	double dark	— <i>flōre-plēno</i>	d. br.	4
1301	— bluish purple	— <i>purpureo-cæruleus</i>	p.	4
1302	Winter Cherry	<i>Phýsalis Alkekengi</i>	5	25	148	hA	w.	2½	7-9	3
1303	Xeranthemum, double	<i>Xeranthemum annuum pl.</i>	19	54	85	...	p.	2	...	3
1304	double white	<i>annuum album</i>	w.	3
1305	yellow	<i>Helichrysum bracteatum</i>	y.	3
1306	new sulphur	<i>bracteatum sulphureum</i>	sul.	3
1307	white	— <i>album</i>	w.	3
1308	Zinnia, golden	<i>Zinnia aurea</i>	y.	3
1309	— large-flowered	<i>grandiflora</i>	r.	3

ASSORTMENTS

comprising the finest and newest varieties.

- I. *Hardy Annuals*; to be sown in the open borders from February till June.
 II. *Half-hardy do.*; on a hotbed from March to May (*Asters* and *Zinnias* early in April).
 III. *Hardy Perennials*; in the open ground from March to August.
 IV. *Frame Perennials*; raise on gentle heat from March to April; plant out in May.
 V. *Greenhouse Seeds* may be sown from January till September.
 VI. *Stove Seeds*; any time from January to September.

No.	I. <i>Hardy Annuals.</i>	No.	s. d.	No.	s. d.
1310	6 Calliopsis	2 0	1359	3 Ipomæa	1 6
1311	6 Candytuft	1 0	1359	3 Loasa	0 9
1312	6 Chrysanthemum	1 0	1360	6 Lobelia, dwarf	1 6
1313	4 Clarkia elegans	0 9	1361	4 Marigold, French	1 0
1314	4 Clarkia pulchella	0 9	1362	4 Marigold, African	1 0
1315	5 Collinsia	2 0	1363	4 Martynia	1 0
1316	4 Convolvulus minor	0 9	1364	3 Mesembryanthemum	1 0
1317	3 Eutoca	0 9	1365	4 Nemesia [mum]	1 6
1318	4 Gilia	0 9	1366	6 Petunia	2 0
1319	6 Godetia	1 0	1367	6 Phlox Drummond.	2 0
1320	4 Hawkweed	0 9	1368	6 Portulaca	2 0
1321	4 Hibiscus	0 9	1369	6 Salpiglossis	2 0
1322	3 Horn Poppy	0 6	1370	4 Schizanthus	1 0
1323	6 Jacobæa	1 3	1371	6 Stock, German	2 0
1324	6 Larkspur, branch.	1 3	1372	— new large	1 6
1325	4 Leptosiphon [ing]	0 9	1373	— new very dwarf	1 6
1326	4 Limnantes	1 6	1374	— Ten-week	1 3
1327	6 Linaria	1 0	1375	— Intermediate	1 6
1328	6 Lupinus, old sorts	1 0	1376	— Wallflower-lvd.	0 9
1329	6 Lupinus, newer do.	1 6	1377	3 Sultan, sweet	0 6
1330	4 Malope	0 9	1378	6 Zinnia elegans	1 9
1331	6 Nasturtion	1 0	III. <i>Hardy Perennials.</i>		
1332	6 Nemophila	1 0	1379	4 Alstrœmeria	1 6
1333	4 Nolana	1 0	1380	4 Anemone	1 6
1334	4 Oenothera	1 0	1381	8 Antirrhinum	2 0
1335	3 Persicaria	0 6	1382	6 Aquilegia	1 6
1336	5 Podolepis	2 6	1383	6 Campanula	1 6
1337	6 Poppy, extra fine	1 6	1384	5 Canterbury Bell	1 0
1338	6 Poppy, dwarf	1 0	1385	5 Carnation & Picotee	10 0
1339	6 Scabious, German	1 3	1386	8 Delphinium	2 0
1340	6 Schizanthus	1 0	1387	8 Dianthus, dwarf	2 6
1341	4 Silene	0 9	1388	6 Digitalis	1 0
1342	4 Sunflower	1 0	1389	4 Eschscholtzia	1 0
1343	8 Sweet Peas	1 6	1390	3 Forget-me-not	1 0
1344	5 Venus' Looking-	1 0	1391	4 Gaillardia	1 6
1345	3 Viscaria [Glass]	0 6	1392	6 Gentiana	1 6
1346	5 Xeranthemum	1 0	1393	4 Geum	1 0
II. <i>Half-hardy.</i>			1394	8 Hollyhock	2 0
1347	6 Balsam, double	1 6	1395	6 Indian Pink	1 6
1348	6 Balsam, Camellia	1 6	1396	8 Lupinus	1 6
1349	5 Calandrinia	1 3	1397	5 Lychmis	1 3
1350	1 Calliopsis	1 0	1398	6 Oenothera	1 6
1351	3 Chærostoma	1 0	1399	1 Papaver	1 0
1352	8 Convolvulus major	1 6	1400	4 Pentstemon Hartwegii	1 3
1353	1 Cuphea	1 0	1401	6 do. various	1 6
1354	6 Gaillardia	2 0	1402	4 Potentilla	0 9
1355	4 Gourds	1 0	1403	4 Silene	0 9
1356	5 Helichrysum	1 6	1404	4 Sweet William	1 0
1357	4 Heliphila	1 3	IV. <i>Frame Perennials.</i>		
			1405	3 Veratrum	1 0
			1406	4 Wallflower	1 3
			V. <i>Greenhouse Seeds.</i>		
			1407	4 Alonsoa	1 0
			1408	3 Commelina	1 6
			1409	5 Ipomopsis	1 6
			1410	6 Lobelia	1 6
			1411	6 Marvel of Peru	1 6
			1412	6 Mimulus cardinalis	1 6
			1413	6 Mimulus, dwarf [lis]	1 6
			1414	3 Stock, Brompton	0 9
			1415	4 — Imperial	1 6
			1416	3 — Queen	0 6
			1417	6 — Verbena	1 6
			VI. <i>Stove Seeds.</i>		
			1418	4 Acacia	1 3
			1419	4 Alstrœmeria	1 3
			1420	4 Anagallis	1 6
			1421	3 Browallia	0 9
			1422	3 Calceolaria	3 6
			1423	3 Calampelis	1 0
			1424	4 Cassia	1 6
			1425	4 Chorozema	1 6
			1426	3 Cockscomb	1 0
			1427	6 Erica	2 0
			1428	4 Geranium [thus]	2 6
			1429	5 Globe Amaranth	2 0
			1430	5 Helichrysum	1 6
			1431	4 Heliotropium	1 0
			1432	4 Hibiscus	1 6
			1433	3 Indigofera	1 0
			1434	8 Ipomæa	3 6
			1435	1 Kennedya	1 3
			1436	1 Lophospermum	1 3
			1437	4 Maurandya	1 6
			1438	4 Passiflora	1 6
			1439	5 Primula siensis	4 0
			1440	3 Solanum	1 0
			1441	1 Thunbergia	1 6
			1442	4 Tropæolum	1 6

MIXED PACKETS OF FLOWER SEEDS,

comprising all the finest and newest varieties. See 1417 to 1611.

For the particulars of treatment, &c. of the following six Sections, see above, as those remarks apply equally to the mixed packets.

No.	1. <i>Hardy Annuals.</i>	s. d.		s. d.		s. d.		
1447	Calliopsis	6	1515	Stock, intermediate	6	1577	Dahlia	6
1448	Candytuft	3	1516	— Ten-week	3	1578	Gladiolus	1 0
1449	Clarkia elegans	3	1517	— wallflower-lvd.	3	1579	Ipomopsis	6
1450	Clarkia pulchella	3	1518	Zinnia elegans	6	1580	Ixia	6
1451	Collinsia	6				1581	Lilium superbum,	1 0
1452	Collomia	3		III. <i>Hardy Perennials.</i>			3 var.	
1453	Convolvulus minor	3	1519	Anemone	6	1582	Marvel of Peru	6
1454	Cyanus	3	1520	Antirrhinum	6	1583	Minulus, large	6
1455	Gilia	3	1521	Aquilegia	3	1584	— dwarf	6
1456	Godetia	3	1522	Auricula	6	1585	Picotée, <i>extra fine</i>	2 6
1457	Hibiscus	3	1523	Azalea	6	1586	Sparaxis	6
1458	Horn Poppy	3	1524	Bellis perennis	1 0	1587	Stock, Brompton	6
1459	Jacobaea	3	1525	Campanula	6	1588	— Imperial	6
1460	Kaulfussia [ing	6	1526	Canterbury Bell, d.	3	1589	— Queen, 6 var.	6
1461	Larkspur, Branch-	6	1527	— single	3	1590	— Verbena, 20 var.	1 0
1462	— dwarf German	6	1528	Catananche	3		V. <i>Greenhouse Seeds.</i>	
1463	— Hyacinth	6	1529	Carnation, double	1 0	1591	Acacia	6
1464	Leptosiphon	3	1530	Centaurea	3	1592	Agapanthus	1 0
1465	Linnanthus	6	1531	Chelone	3	1593	Anagallis	6
1466	Lupinus, common	3	1532	Chrysanthemum,	1 0	1594	Azalea	6
1467	— newer sorts	6		Indian		1595	Balsam, double	6
1468	Malope	3	1533	Clematis, 8 sp.	1 0	1596	— Camellia	6
1469	Nemophila	3	1534	Cowslip & Oxlip	3	1597	— new rose	6
1470	Nolana	6	1535	Cytisus	3	1598	— new dwarf	6
1471	Poppy, superb	3	1536	Delphinium chin.	3	1599	Browallia	6
1472	— dwarf French	3	1537	—, tall [sc	6	1600	Calampelis	6
1473	Scabious	6	1538	Dianthus, dwarf	6	1601	Calceolaria 2s. 6d.	1 0
1474	Schizanthus	3	1539	Digitalis (Foxglove)	3	1602	— Van Houtte's	5 0
1475	Sweet Peas	3	1540	Eschscholtzia	3	1603	Cassia	6
1476	Sweet Sultan	3	1541	Forget-me-not	6	1604	Chorozema	6
1477	Venus' Looking-	3	1542	Gaillardia	6	1605	Cineraria	1 0
1478	Viscaria [Glass	3	1543	Gentiana	3	1606	Cockscomb	6
1479	Xeranthemum	3	1544	Geum	6	1607	Cyclamen	6
	II. <i>Half-hardy.</i>		1545	Heartsease	1 0	1608	Dolichos	6
1480	Aster, Chinese	3	1546	Helianthemum	6	1609	Egg Plant	3
1481	— German	6	1547	Hollyhock	6	1610	Epacris, <i>extra</i>	2 6
1482	— Globe	3	1548	Honeysuckle	6	1611	Erica	2 6
1483	— new dwarf	3	1549	Indian Pink	6	1612	Fuchsia	1 0
1484	— Perfection	1 0	1550	Iris	6	1613	Geranium	1 0
1485	— pyramidal	3	1551	Lathyrus	3	1614	— new hybrid	1 0
1486	Brachycome	6	1552	Liatris	3	1615	— scarlet, <i>various</i>	6
1487	Chænostoma	6	1553	Linum	6	1616	Globe Amaranthus	1 0
1488	Cleome	6	1554	Lupinus	6	1617	Goodia	6
1489	Convolvulus major	3	1555	Lychnis	3	1618	Helichrysum	6
1490	— splendid new	1 0	1556	Eurothera	6	1619	Heliotropium	6
1491	Cuphea	6	1557	Papaver	6	1620	Hibiscus	6
1492	Gaillardia	6	1558	Pentstemon	6	1621	Indigofera	6
1493	Gourds	3	1559	Phlox	6	1622	Ipomœa	1 0
1494	Grammanthes	6	1560	Picotée, double	1 0	1623	Kennedy	6
1495	Helichrysum	6	1561	Paeonia	6	1624	Lophospermum	6
1496	Heliothila	6	1562	Polyanthus	6	1625	Maurandya	6
1497	Ipomœa	6	1563	Potentilla	6	1626	Passiflora	6
1498	Loasa	3	1564	Ranunculus	6	1627	Primula sinensis	6
1499	Lobelia, dwarf	3	1565	Rhododendron	6	1628	— fringed, 6 var.	1 0
1500	Marigold, French	3	1566	Rose	6	1629	Sollya	6
1501	— African	3	1567	Saxifraga	6	1630	Thunbergia	6
1502	Martynia [mum	6	1568	Sweet William	6	1631	Tropæolum	1 0
1503	Mesembryanth-	6	1569	Veratrum	6	1632	Greenhouse Seeds	1 0
1504	Nemesia	6	1570	Wallflower, single,	6		VI. <i>Stove Seeds.</i>	
1505	Nycteria	6		20 var.		1633	Achimenes	1 0
1506	Petunia	6	1571	Wallflower, double	6	1634	Canna	6
1507	Phlox Drummondii	6		IV. <i>Frame Perennials.</i>		1635	Ferns, W. Indiau	1 0
1508	Podolepis	6	1572	Alonsoa	6	1636	Erythrina	1 0
1509	Portulaca	6	1573	Alstroemeria	6	1637	Gesneria	1 0
1510	Salpiglossis	6	1574	Carnation, <i>extra</i>	2 6	1638	Gloxinia	1 0
1511	Schizanthus	3	1575	Cistus	6	1639	Poinciana	1 0
1512	Stock, dwarf Germ.	6	1576	Commelina	1 0	1640	Viola	6
1513	— new large-flow.	6				1641	Stove Seeds	6
1514	— new very dwarf	6						

A CHOICE COLLECTION OF HARDY AND GREENHOUSE BULBS.

12, 25 or 50 may be had at the same rate as per 100; and a quarter or half a lb. at the rate per lb.

HARDY BULBS.		s. d.	Gladiolus, new Seedlings.		each s. d.
Amaryllis lutea, yellow	per doz.	2 6	Palmira	"	1 3
formosissima, most beautiful	"	5 6	Prince Albert	"	1 6
Anemone, finest double named	per 100	20 0	Prince Royal	"	1 3
double scarlet	"	10 0	Reine d'Hollande	"	1 6
double mixed, fine	per lb.	6 0	Reine des Belges	"	1 6
single mixed, best	"	4 0	Regina	"	1 3
single scarlet	"	8 0	Roi de Pays Bas	"	1 3
For clumping in separate colours.			Rouge Pourpre	"	1 3
Admiral Zoutman, blue	per doz.	2 6	Rubro Major	"	1 6
Emperor Alexander, variegated,	"	2 6	Salmoniams	"	1 6
Fen Superbe, bright scarlet	"	2 6	Splendidus	"	1 6
Josephine, splendid scarlet	"	2 6	Sternii	"	1 6
La Beauté Suprême, rose, var.	"	2 6	Striatus	"	1 3
Lord High Admiral, crimson	"	2 6	Superbus	"	1 3
Pourpre Superbe, purple	"	2 6	Viridis	"	1 6
Victoria Regina, purple centre	"	6 0	Variegatus	"	1 3
48 new scarlet in 4 varieties	"	7 6	24 extra fine varieties selected from the above		30 0
Anemone hortensis, 50 fine varieties		10 0	Gladiolus, Seedlings from ramosus:		
double red	per doz.	2 6	Abdel Kader, spotted	each	2 0
scarlet	"	2 6	Aurantius multiflorus, orange	"	1 0
fine mixed	per 100	10 0	Batavia, purple-spotted	"	2 0
Apios tuberosa, tuberous	each	0 6	Bella Donna, very fine	"	1 6
Camassia esculenta, eatable	"	1 0	Belvedere, spotted orange	"	1 6
Corydalis bulbosa, bulbous	"	0 6	Brenchleyensis, deep red	"	1 6
Crinum capense, Cape	"	1 0	Coccineus verus, scarlet	"	1 6
Cyclamen europæum, European	doz.	7 6	Crocatus, spotted orange	"	1 0
Dahlia, dry roots, 9s. 12s. &	"	18 0	Delicatissimus, or. purple spots	"	2 6
Gladioli, for bedding.			Pictator, large orange-spotted	"	2 0
The Gladioli are among the most ornamental of Autumnal flowers, and as they bloom a long time and increase considerably, they merit general cultivation.			Duchesse d'Orléans, red	"	1 0
Gladiolus byzantinus	per doz.	1 6	Eclatante, violet	"	1 6
cardinalis, scarlet	"	3 6	Elegans, earmine, blue spots	"	2 0
communis purpureus, purple	"	1 6	Elegantissimus, white-spotted	"	3 6
formosissimus, fine red	"	5 6	Emicaus, red, white spots	"	1 0
gandavensis, yellow & scarlet	"	4 0	Ernst Maltravers, orange-striped	"	1 0
insignis, coruine	"	6 0	Fauny Ellsler, rose-spotted	"	1 6
natalensis, buff & red	"	1 6	Gloriosa, orange	"	1 6
oppositiflorus, white & rose	"	3 0	Graaf van Nassau, purple	"	2 0
Queen Victoria, scarlet	"	5 6	Imperialis, purple-striped	"	1 0
ramosus, salmon rose	"	3 6	Kouigin der Nederlande	"	1 6
rosa-mundi, rosy crimson	"	4 0	Lady Dungannon, soffron	"	1 6
mixed Cape, diverse	"	3 6	Lady Franklin, striped	"	1 6
Gladiolus, Seedlings from gandavensis:			La Plus Belle, striped orange	"	2 6
Anna Maria	each	1 3	La Plus Eclatante, deep orange	"	1 6
Autwerpensis	"	1 3	La Ville d'Haarlem, lilac-spotted	"	1 0
Arembergianus	"	1 6	Lilacinus, lilac	"	1 0
Borettii	"	1 3	L'Honneur d'Amsterdam, strip.or.	"	2 0
Decandolle	"	1 3	Lindleyanus, orange	"	1 6
Duchesse d'Angleterre	"	1 3	Lisette, rose, blue spots	"	1 0
Fortuna	"	1 6	Lord Auckland, cherry, spotted	"	1 6
Grandissimus	"	1 6	Lord Byron, scarlet, white spots	"	2 6
Gretry	"	1 6	Lord Derby, cherry, white spots	"	2 6
Herbertii	"	1 6	Lord Dudley, cherry, blue spots	"	2 6
Hervuani	"	1 6	Lord Grey, striped lilac	"	1 6
Isabella	"	1 3	Lord Palmerston, rose, white spots	"	1 6
La Brillaute	"	1 6	Lord John Russell, orange	"	1 6
La Modeste	"	1 3	Louis Philippe, bright orange	"	2 0
Lowii	"	1 3	Madame van der Hoop, rose	"	1 6
Ne Plus Ultra	"	1 6	Marianne, scarlet-striped	"	1 6
			Orange Boven, striped orange	"	1 6
			Orange Lion, splendid orange	"	1 6
			Oscar, scarlet, purple-spotted	"	2 6
			Mrs. Fry, bright red, striped	"	1 6
			Prince Albert, bright rose	"	1 6
			Prince of Wales, striped red	"	2 0

Gladiolus ramosus <i>Seedlings</i>	each	s. d.	Amaryllis (continued).	s. d.
Prince Charles, <i>red, purple spots</i>	"	1 0	Cape species, <i>white, pink stripe</i>	each 4 0
Prince Frederick	"	1 0	New Holland species, <i>white</i>	" 3 6
Prince of Waterloo, <i>orange</i>	"	1 6	Synonyms: (a) <i>Hippeastrum</i> , (b)	
Princess Adelaide, <i>orange</i>	"	1 0	<i>Brunsvigia</i> , (c) <i>Vallota</i> , (d) <i>Crinum</i> ,	
Princess Alice, <i>bright rose</i>	"	1 0	(e) <i>Cyrtanthus</i> , as <i>Amaryllis crocata</i>	
Princess Amelia, <i>bright rose</i>	"	1 0	<i>superba</i> , or <i>Hippeastrum crocatum</i>	
Princess Elizabeth, <i>orange-striped</i>	"	1 0	<i>superbum</i> .	
Princess of Orange, <i>orange</i>	"	1 0	Anomatheca <i>crucata</i> , <i>red</i>	per doz. 2 0
Queen Hortense, <i>large orange</i>	"	1 6	Chlidanthus <i>fragrans</i> , <i>fragrant</i>	each 1 0
Queen of Denmark, <i>dark rose</i>	"	1 0	Coburgia <i>flava</i> , <i>yellow</i>	" 4 0
Rosca, <i>rosy purple</i>	"	1 0	<i>incarnata</i> , <i>flesh-coloured</i>	" 4 0
Sertorius, <i>scarlet, white spots</i>	"	1 0	Cyclamen <i>Cornu</i> , <i>Island of Cos</i>	" 1 0
Sir Robert Peel, <i>lilac and orange</i>	"	1 6	<i>neapolitanum</i> , <i>Neapolitan</i>	" 1 6
Susanna, <i>lilac, dark spots</i>	"	1 0	<i>persicum</i> , <i>Persian</i>	" 1 0
Zenobia, <i>striped carmine</i>	"	1 6	— <i>albiflorum</i> , <i>white</i>	" 1 6
The above 61 splendid varieties,			— <i>punctatum</i> , <i>spotted</i>	" 1 6
forming an unrivalled collection		80 0	Cyrtanthus <i>obliquus</i> , <i>oblique</i>	" 3 6
40 fine sorts		60 0	<i>odorus</i> , <i>fragrant</i>	" 3 6
20 do. do.		30 0	sp. ex <i>Caffaria</i>	" 3 6
12 do. do.		18 0	Drimia sp. <i>from the Cape</i>	" 2 6
Gladiolus blandus, 12 fine varieties		10 0	Ferraria <i>undulata</i> , <i>wave-leaved</i>	" 1 0
— new dwarf, 12 do. do.	"	10 0	Freuchenia <i>bulbifera</i> , <i>bulbiferous</i>	" 1 6
Iris susiana, <i>Susian</i>	per doz.	3 6	Gladiolus, <i>see hardy Bulbs</i> .	
tuberosa, <i>tuberous-rooted</i>	"	3 0	Griffinia <i>hyacinthiflora</i>	" 3 6
Ismene Amancaes, <i>Amancaes</i>	each	1 0	Haemanthus <i>pubescens</i> , <i>pubescent</i>	" 1 6
calatrina, <i>large-cupped</i>	"	1 0	<i>tigrinus</i> , <i>tiger-streaked</i>	" 1 6
undulata, <i>waved</i>	"	1 0	Melanthium <i>triquetrum</i>	" 1 6
Lilium speciosum <i>album</i> , <i>white</i>	"	1 6	Nerine <i>curvifolia</i> , <i>fine scarlet</i>	" 1 6
speciosum <i>rubrum</i> , <i>red</i>	"	2 6	Pentlandia <i>miniata</i> , <i>vermilion</i>	" 1 0
Leucojum <i>vernum</i> , <i>spring</i>	per doz.	4 0	Strelitzia <i>angustifolia</i>	" 10 0
Ornithogalum, <i>mixed</i>	"	2 6	Strumaria <i>filifolia</i> , <i>thread-leaved</i>	" 1 0
Paeonia, <i>various</i>	"	15 0	<i>undulata</i> , <i>waved</i>	" 1 0
Polyanthes <i>tuberosa</i> (see <i>Tuberoses</i>).			Tritonia <i>aurea</i> , <i>golden</i>	" 3 0
Ranunculus, <i>double Persian</i>			Tropaeolum <i>azurcum</i> , <i>azure</i>	" 3 6
200 extra fine sorts, <i>named</i>		37 6	<i>brachyceras</i> , <i>short-horned</i>	" 1 6
100 do. do. do.		20 0	Jarrattii, <i>Mr. Jarratt's</i>	" 1 6
100 do. new <i>Seotch</i> , <i>do.</i>		30 0	<i>pentaphyllum</i> , <i>five-leaved</i>	" 1 0
Extra fine mixed <i>Persian</i>	per 100	7 0	Wachendorfia <i>thyrsiflora</i>	" 1 0
Good do. do.	"	3 6	Zephyranthes <i>candida</i> , <i>white</i>	per doz. 6 0
Finest mixed <i>Turban</i> , 10 var.	"	7 0	<i>grandiflora</i> , <i>large-flowered</i>	" 6 0
Tigridia Pavonia, <i>Tiger-Flower</i>	doz.	2 0		
— <i>conchiflora</i> , <i>yellow</i>	"	3 0		
— <i>superba</i> , <i>scarlet</i>	"	3 6		
Tuberoses, <i>double</i> (require heat),	"	4 0		

GREENHOUSE BULBS.

Albica fastigiata, <i>bunch-flowd</i>	each	2 6
viridiflora, <i>green-flowered</i>	"	2 6
Amaryllis <i>crocata</i> <i>superba</i> (a)	"	3 6
falcata, <i>sickle-shaped</i> (b)	"	5 0
fulgida, <i>glowing</i> (a)	"	3 6
Josephine, <i>Josephine's</i> (b)	"	15 0
miniata, <i>vermilion</i> (a)	"	3 6
orientalis, <i>oriental</i> (b)	"	7 0
purpurea, <i>purple</i> (c)	"	2 0
undulata, <i>waved</i> (d)	"	2 6
uniflora, <i>single-flowered</i> (e)	"	2 0
vittata, <i>striped</i> (a)	"	2 6
— major, <i>large-flowered</i> (a)	"	4 0

SUNDRY PLANTS.

Carnations, <i>prize flowers</i>	12 pair	16 0
Clove do., <i>fine dark</i>	"	6 0
Chrysanthemums, <i>large</i> , doz. 9s., 12s. &		18 0
— new dwarf <i>Pompon</i> , <i>per doz.</i>		12 0
Fuchsias, <i>per doz.</i>	9s., 12s. and	18 0
Geraniums, <i>per doz.</i>	9s. to	40 0
Heartscase or Pansy, <i>per doz.</i>		9 0
Hollyhocks, <i>very fine</i> , <i>per doz.</i>	9s. to	20 0
Picotces, <i>white</i> , <i>prize-flowers</i> , 12 pair		16 0
—, <i>yellow</i> do.	"	16 0
Pinks, <i>prize</i> , 12 pair	8s. to	12 0
— red and white for forcing, <i>per doz.</i>		4 0
Roses, <i>Standards</i> , <i>per doz.</i>	18s. to	24 0
— dwarf &c. in <i>Dwarfs</i> , doz.	10s. to	18 0
China &c. in pots, <i>per doz.</i>	12s. to	18 0
Verbenas, <i>per doz.</i>	6s., 9s., 12s. and	18 0

COLLECTIONS OF BULBS.

Hardy for bedding.	s. d.	for the Greenhouse.	s. d.
36 Anemones, <i>double</i> in 6 colours	7 0	4 Cyclameu, in 4 varieties	5 0
24 Gladioli, in 4 colours	10 0	6 Amaryllis, in 6 fine do.	24 0
12 Ismene, in 4 species	8 0	4 Tropaeolum, in 4 do. do.	6 0
36 Tigridia Pavonia, in 3 varieties	8 0	A collection of Cape Bulbs	20 0

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
	<i>See note page 31.</i>	<i>s.d.</i>			<i>s.d.</i>
3 and 4	Artichoke, green per oz.	1 0	3 to 4	Broccoli, new Mammoth per oz.	1 0
	Asparagus, Giant per lb.	2 0		new Victoria "	1 0
	large early Batavian per oz.	6		Portsmouth "	1 0
10 to 6	Beans, <i>early sorts</i> per qt.			Potter's new pink "	1 0
	earliest dwarf Fan "	6		Snow's superb "	1 0
	early Mazagan "	6		very late dwarf Danish "	1 0
	— long-pod "	6		Wilcove large white "	1 0
	green long-pod "	6		Winter Imperial "	1 0
1 to 5	Johnson's Wonderful "	6		Dilcock's Pride per pack.	2 6
	large Windsor "	6		1 oz. 8 best for succession	7 0
	Taylor's do. "	6		1 " 4 do. do.	3 6
	green do. "	6		$\frac{1}{2}$ " 8 do. do.	3 6
2 to 5	Beet, fine large red per oz.	4		$\frac{1}{2}$ " 4 do. do.	1 9
	new German "	4	3 to 4	Brussels Sprouts per oz.	6
	new purple-top "	4		imported Belgian "	1 0
	Mitchell's crimson "	4	3 to 9	Cabbage, Atkins' Matchless "	6
	turnip-rooted "	3		Barnes' early "	6
	silver or Spinach Beet "	3		Carter's early "	1 0
	white "	3		Carter's Matchless "	1 0
	Garnishing, in 3 col. per pa.	3		early Battersea "	6
3 to 4	Borcole, or Kail per oz.			— dwarf "	6
	dwarf green curled "	3		— East Ham "	6
	dwarf brown "	3		— Emperor "	6
	tall green "	3		— Downe's "	6
	Asparagus, new "	6		— Grand "	6
	Buda "	3		— Enfield "	6
	Delaware "	3		— Hope "	6
	Jerusalem "	3		— London Market "	6
	Knoll "	3		— Marrow, Tiley's "	6
	new-feathered Scotch "	4		— Nonpareil "	6
	new heading "	3		— Paington "	6
	purple "	3		— Paragon "	1 0
	Ragged Jack "	3		— Reliance "	1 0
	variegated, 3 vars. "	6		— Sprothro' "	6
4 to 6	Broccoli, early pur. Cape per oz.	1 0		— Sugar-loaf "	6
	Cape white "	1 0		— superfine "	6
	— green "	1 0		— Vanack "	6
3 to 5	early cauliflower "	1 0		— Wellington "	6
	— close-headed pur. "	1 0		— York "	6
	— Grauge's "	1 0		King of the Cabbages "	6
	— Malta "	1 0		Shilling's Queen "	6
	— purple "	1 0		large Battersea "	6
	— sprouting "	1 0		— Imperial "	6
3 to 4	— Waleheren "	1 0		— late "	6
	— white "	1 0		— Pomeranian "	1 0
	— Wren's "	1 0		— York "	6
	Brimstone "	1 0		— Drumhead "	3
	Chappel's cream "	1 0		1 oz. 6 finest for succession	3 6
	dwarf Russian "	1 0		$\frac{1}{2}$ " 6 do. do.	1 9
	— Siberian "	1 0		Red, for Pickling per oz.	6
	Elletson's gigantic "	1 0		— Dutch, large "	6
	Field's new white "	1 0	3 to 6	Savoy, new Uhm "	1 0
	Hampton Court "	1 0		— dwarf green "	6
	Howden's superh "	1 0		— Drumhead "	6
	Impregnated wh. "	1 0		— globe "	6
	Invisible "	1 0		— Mitchell's Dwarf "	6
	self-protecting "	1 0		— yellow "	6
	Lake's white "	1 0		— yellow Blumenthaler "	6
	large Cornish "	1 0		Chou de Milan, imported, "	1 0
	— Spring white "	1 0	3 to 8	Colewort (for greens) "	6
	— — purple "	1 0		Couve Tronchuda "	1 0
	late Cape "	1 0		Kohl-Rabi, a.g. lar. pur. "	3
	— close-headed pur. "	1 0		— above ground, ear. wh. "	6
	— white "	1 0		— do. early blue "	6
	London Particular "	1 0		— under ground, best "	6
	Miller's dwarf white "	1 0		Thousand-headed "	3

Month of Sow.	oz. ounce ; lb. pound ; qt. quart.	Price.	Month of Sow.	pa. packet ; bush. bushel.	Price.
2 to 9	Carrot, early Horn per oz.	<i>s. d.</i> 3	9 to 6	Cucumber, Warwicksh. Hero pa.	<i>s. d.</i> 1 0
3 to 4	early scarlet frame " "	3		*Weedon's frame " "	6
	long Surrey, per lb. 2s. " "	2		*Webb's Invincible " "	1 0
	— orange, " " 2s. " "	2		White Spine " "	6
	fine white, for stewing " "	3		Windsor Prize " "	6
	St. James's scarlet " "	3		6 finest varieties " "	5 0
	scarlet Altrincham, lb. 2s. " "	2		finest mixed " "	1 0
3 to 5 and in August	Canliflower, early " "	1 6		Wonder " "	1 0
	late " "	1 6	4 & 5	Egg Plant " "	3
	large Asiatic " "	1 6	5 to 8	Endive, green curled per oz.	6
	late German " "	1 6		white curled " "	6
	Radford's Giant " "	1 6		green curled winter " "	6
	Waleheren " "	1 6		Batavian, green " "	6
	1 oz. 4 best for succession	5 0		— white " "	6
	½ " 4 do. do.	2 6	5 & 6	French Beans, dwarf dun, p. qt.	1 0
3 to 5	Cardoon, Spanish per oz.	6		dwarf Canterbury " "	1 0
	new large purple " "	1 0		*— dark dun " "	1 0
	Celery, Giant red " "	4		*— early forcing " "	1 0
	Giant white " "	4		— earliest Victoria " "	1 6
	Champion white " "	6		— early prolific " "	1 0
	Cole's solid red " "	6		*— Fulmer's forcing " "	1 0
	— crystal white " "	6		— Mohawk " "	1 0
	curled dwarf " "	4		*— New Nonsuch " "	1 6
	Hillingdonian red " "	6		*— Negro " "	1 0
	Jones' Matchless " "	4		— speckled " "	1 0
	Lane's new red " "	6		— Newington Wonder " "	1 6
	large-rooted Celeriac " "	3		— Royal dwarf " "	1 6
	Law's white Giant " "	4		*— Sion House " "	1 6
	Manchester red " "	4		tall or Scarlet Runners " "	1 0
	— white " "	4		— Dutch Case-knife " "	1 0
	Seymour's white " "	4		— French Haricots " "	1 0
	solid red " "	3		— Painted Lady " "	1 0
	— white " "	3	3 to 5	Ice Plant per pa.	3
	Violet de Tours " "	6	4 to 5	Indian Corn, Quarantain " "	3
	Wheeler's pink " "	3	3 to 5	Leek, London Flag per oz.	6
	Corn Salad " "	3		Musselburg " "	1 0
	new Italian " "	6		large Rouen " "	1 0
2 to 10	Cress, common per qt.	1 0		new Giant " "	1 0
	triple curled " "	1 6	3 to 9	Lettuce, Cos, Ady's " "	1 0
	golden per oz.	2		*— Cos, Bath " "	1 0
	Normandy " "	2		*— black-seeded Bath " "	1 0
	perennial American " "	3		— blood " "	1 0
	Water per pa.	6		— Brighton " "	1 0
9 to 6	Cucumber, fine frame " "	6		— Cove " "	1 0
4 & 5	long prickly, per oz. 1s. " "	3		*— brown " "	1 0
	long Ridge " "	3		*— Egyptian " "	1 0
	Stockwood, extra " "	6		— Florence " "	1 0
	short prickly " "	3		— green " "	1 0
	white Turkey " "	3		— Neapolitan " "	1 0
	<i>Prize frame varieties.</i>			— new compact " "	1 0
9 to 6	Allen's Victory of Suffolk " "	1 0		*— new hardy green " "	1 0
	Carter's Black Spine " "	1 0		*— white " "	1 0
	— white spine " "	1 0		— spotted " "	1 0
	*Colney Hatch, w. s. extra " "	1 0		— Nonpareil, white " "	1 0
	*— new black spine " "	1 0		— green " "	1 0
	*Cuthill's black spine " "	6		— Paris green " "	1 0
	Defiance " "	1 0		— white " "	1 0
	Green Emperor " "	6		— white " "	1 0
	Haben's Conqueror " "	1 0		1 oz. 6 best sorts	5 0
	*Improved Sion House " "	6		½ " 6 do. do.	2 6
	Kerrison's Prize " "	1 0		Cabbage, Asiatic " "	1 0
	*Lord Kenyon's favorite, " "	6		— Belle et Bonne " "	1 0
	Manchester Prize " "	6		— blood-red " "	1 0
	Man of Kent " "	6		*— brown Dutch " "	1 0
	Norfolk Hero " "	1 0		— Drumhead " "	1 0
	Pea Green " "	1 0		— Grand Admiral " "	1 0
	*Sion House " "	6		*— hardy Hammersmith " "	1 0
	Walker's Prize-fighter " "	6		— Imperial " "	1 0

* Best for Autumn and
Spring Sowing.

* Best for forcing.

* Both for Autumn and Spring Sowing.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		<i>s. d.</i>			<i>s. d.</i>
3 to 9	Lettuce, Cab., Mag. Bonum oz.	1 0	1 to 6	Marrow, Ringwood p. qt.	8
	— Malta "	1 0		— Royal Victoria "	8
	— Marseilles "	1 0		— Woodford's green "	8
	— Mogul "	1 0			
	*— white "	1 0		III. Wrinkled Marrows.**	
	*— pink-edged "	1 0	1 to 6	British Queen "	1 0
	— red Swedish "	1 0		Carter's Victoria "	1 6
	*— Tennis-ball "	1 0		Hairs' dwf. Mammoth "	1 6
	— Turkey "	1 0		Knight's dwarf white "	1 0
	— Victoria "	1 0		— dwarf green "	1 0
	— yellow Prinzenkopf "	1 0		— tall white "	1 0
	— Silesian, brown "	1 0		— tall blue "	1 0
	1 oz. 6 finest sorts	5 0		— Ne Plus Ultra "	1 6
	$\frac{3}{4}$ " 6 do. do.	2 6		King of the Marrows "	1 6
4 to 5	Love apple (Tomato), red "	1 0		Ward's Incomparable "	1 6
	yellow packet 3d.	1 0			
3 to 6	Mallow, garnishing per pa.	3		IV. Various Peas.	
2 to 10	Mustard, white per qt.	1 0	1 to 6	Bedman's Imperial "	8
3 to 6	Onion, blood-red per oz.	4		Blue Prussian "	6
	*Deptford per lb. 4s. "	4		Flack's Victory "	8
3 to 5	Globe " 4s. "	4		Pride of Sussex "	1 0
	— new white "	4		Scimitar "	6
	James's keeping "	4		Sugar, dwarf "	1 6
3 to 8	*Lisbon "	4			
	*new Giant "	6		Peas for Succession.	
3 to 6	Pickling "	6		10 finest sorts 1 qt. each	10 0
	Portugal, brown lb. 4s. "	4		10 do. do. 1 pt. "	5 0
	— white " 4s. "	4		6 newest do. 1 qt. "	9 0
	*Reading " 4s. "	4		6 do. do. 1 pt. "	4 6
	Silver-skinned "	6		6 dwarfest do. 1 qt. "	6 0
	Early Nocera pickling "	1 0			
	*Spanish, brown " 4s. "	4		The Wrinkled Marrows**	
	*— white " 4s. "	4		(including also Champion of	
	*Strasburg "	4		England,) see No. I., form a	
3 to 8	*Tripoli, large flat "	6		distinct class, and can be highly	
	*— — round "	6		recommended. Carter's Victoria	
3 to 9	Two-bladed early "	6		Marrow is warranted the	
8 to 9	Welch "	3		largest and finest-flavoured of	
	6 finest sorts, 2 oz. each	5 0		all the White Peas. II. III. and	
	6 do. do. 1 do.	2 6		IV. all good for middle and late	
3 to 8	Parsley, extra curled per oz.	3		crops. Royal Victoria and Carter's	
	Myatt's garnishing "	3		Victoria for very late crops.	
	new matchless "	6	4 to 5	Pompkin, large yellow per pa.	3
	large-rooted Hamburg "	3		green Spanish "	3
3 to 5	Parsnip, best large "	3		Mammoth "	3
	Hollow-crowned "	3		Potato, early per pa. 6d. p. oz.	1 6
	Turnip-rooted "	3		late " 6d. "	1 6
10 to 5	Peas: 1. <i>Earliest sorts.</i>			Silver-skin " 1s. "	3 6
	Warner's Emperor per qt.	9	1 to 9	Radish, long frame per qt.	2 0
	Prince Albert "	9		Wood's new frame "	2 0
	early frame 6d., Kent "	6		early scarlet "	2 0
	— May 6d., Warwick "	6		new London Particular, "	2 0
	— Charlton "	6		early short topt "	2 0
	Anvergne, fine "	9		long Salmon "	2 0
	Bishop's new long-pod. "	1 0		long white "	2 0
	**Champion of Engl. "	1 0		white Naples "	3 0
	Early blue, Eclipse "	1 0		red Turnip "	2 0
	Fairbeard's Surprise "	1 0		white Turnip "	2 0
	Paul's dwarf prolific "	2 6		mixed Turnip "	2 0
				new olive-shaped per oz.	3
	II. Later sorts.			black Spanish "	3
1 to 6	Marrow, Stub's e. blue "	1 0		new China rose-col'd "	6
	— early green "	8	4 to 6	Rampion per pa.	3
	— dwarf white "	8		Rhubarb, mixed "	6
	— dwarf green "	8		Eleonora "	6
	— Noble's early green "	1 0		Royal Albert "	6
	— Glory of England "	8		Tobolsk "	6
	— mateless green "	8		Victoria "	6

N.B. A quart
of Peas equal
to 2 lb.

[illegible]

FRUIT SEEDS. Per packet.

No.		<i>s.</i>	<i>l.</i>	No.		<i>s.</i>	<i>d.</i>	No.		<i>s.</i>	<i>d.</i>
1700	Apricot	each	6	1724	Melon, Pea-green	1	0	1748	Melon, fine mixed, 20 var.	1	0
1701	Current, white, red & black		6	1725	— Pelin	6		1749	— Water, black Spanish	6	6
1702	Gooseberry, white		6	1726	— Pine-apple, small	6		1750	— Carolina	6	6
1703	— red		6	1727	— Pitfour, fine	6		1751	— Ice-cream	6	6
1704	Grape, finest-flavoured	1	0	1728	— Pomegranate	6		1752	— Long Island	6	6
1705	Melon, Beechwood		6	1729	— Provence, superb	1	0	1753	— Sweet Cabul	6	6
1706	— Black Rock		6	1730	— Queen's Pocket	1	0	1754	— Nos. 1749 to 1753	2	0
1707	— Brouham Hall	1	0	1731	— Royal Fitzgerald	1	0	1755	— fine mixed	6	6
1708	— Busby's scarlet-flesh	1	0	1732	— scarlet-flesh	6		1756	— Mulberry, white	6	6
1709	— Carter's green-flesh	1	0	1733	— scarlet do., warted	6		1757	— black	6	6
1710	— Cassabar		6	1734	— scarlet Rock	6		1758	— Neetarine	6	6
1711	— Clifton hybrid		6	1735	— Sirdar	6		1759	— Quince	6	6
1712	— Delicious rough	1	0	1736	— Skilman's Netted	6		1760	— Peach	6	6
1713	— Early Cantalupe		6	1737	— small green-flesh	6		1761	— Pear and Apple	each	6
1714	— Egyptian green-flesh		6	1738	— netted orange	6		1762	— Plum, mixed	6	6
1715	— Fine Nutmeg		6	1739	— Suow's prize	1	0	1763	— Raspberry, finest red	6	6
1716	— Goodwin's Imperial		6	1740	— splendid large green	1	0	1764	— Strawberry, red Alpine	6	6
1717	— Green Citron		6	1741	— striped, from Tillis	1	0	1765	— white Alpine	6	6
1718	— Green-flesh		6	1742	— sweet Ispahan	6		1766	— British Queen	6	6
1719	— Hybrid green-flesh		6	1743	— Transparent green	6		1767	— Comte de Paris	6	6
1720	— Ionian green-flesh		6	1744	— Trenham Hall	1	0	1768	— Elton Pine	6	6
1721	— Kew Green		6	1745	— white apple-flavoured	6		1769	— old Pine	6	6
1722	— Netted green-flesh		6	1746	— white melting Valencia	1	0	1770	— Princess Royal	6	6
1723	— Pussingham	1	0	1747	— 6 finest sorts	5	0				

AGRICULTURAL SEEDS.

The prices of Clover and other Agricultural Seeds are variable.

	s.	d.		s.	d.
Beet, Sugar	per lb.		Kail, curled	per lb.	
Buck Wheat	per bush.		Mangel-Wurzel, long red	"	
Burnet	per lb. or ewt.		— long yellow	"	
Broom	"		— long white	"	
Cabbage, Drumhead	per lb.		— red Globe	"	
— flat Brunswick	"		— white Globe	"	
— flat Dutch	"		— yellow Globe	"	
— large Savoy	"		Mustard, white	bush.	
— Thousand-headed	"		— brown	"	
— Kohl-Rabi, purple	"		Parsley	"	
— — green	"		Parsnip	lb.	
— — under-ground	"		— large Guernsey	"	
Carrot, long red	"		Rape, broad-leaved	bush.	
— largest red Altringham	"		Spurry, <i>Spergula arvensis</i>	lb.	
— white Belgian	"		Rye	bush.	
— yellow Belgian	"		Tares, Spring	"	
Caraway	per lb. or ewt.		— Winter	"	
Chicory	lb.				
— large-rooted for Coffee	"				
Flax or Linseed	bush.				
Furze, Gorse or Whin	lb.				
— French do.	"				
Gold of Pleasure, <i>Camelina Sativa</i>	"				

TEXIAN GRAIN, *new, resembles Wheat in size, but is shorter and rather thicker in proportion and without the furrow. To be had in very small packets only. Price 1s. per packet.*

GRASS, CLOVER, AND OTHER FORAGE PLANTS.

	s.	d.		s.	d.
Achillea millifolia, Yarrow	per bush. or per lb.		Lolium perenne sempervirens, evergreen		
Agrostis stolonifera, <i>Florin or Bent</i>	"		Rye Grass	per bush.	
Aira caespitosa, <i>tufted Hair Grass</i>	"		— annuum, annual	do.	
Alopecurus pratensis, <i>Meadow Foxtail</i>	"		Lotus corniculatus, <i>Bird's-foot Trefoil</i>	lb.	
Anthoxanthum odoratum, <i>Sweet Vernal</i>	"		Medicago sativa, <i>Lucerne</i>		
Arrhenatherum avenaceum, <i>French Rye Grass</i>	"		— lupulina, common Trefoil	ewt.	
Avena elatior, <i>tall Oat Grass</i>	"		Melilotus leucaantha major, <i>Bokhara Clover</i>	lb.	
— flavescens, <i>yellow Oat do.</i>	"		Onobrychis sativa, <i>Sainfoin</i>	bush.	
Cynosurus cristatus, <i>crested Dog's-tail</i>	"		Phleum pratense, <i>Timothy or Cat's-tail</i>	lb.	
Dactylis glomerata, <i>Rough Cock's-foot</i>	"		Poa angustifolia, <i>narrow-leaved Meadow</i>	"	
Festuca duriuscula, <i>Hard Fescue</i>	"		— pratensis, <i>smooth-stalked Meadow</i>	"	
— elatior, <i>tall Fescue</i>	"		— nemoralis, <i>wood Meadow</i>	"	
— ovina, <i>sheep's Fescue</i>	"		— nervosa, <i>strong Meadow</i>	"	
— pratensis, <i>meadow Fescue</i>	"		— trivialis, <i>trivial or rough-stalked Meadow</i>	"	
— rubra, <i>red Fescue</i>	"		Trifolium pratense, <i>red Clover</i>	ewt. or lb.	
— tenuifolia, <i>fine-leaved Fescue</i>	"		— perenne, <i>perennial or Cow Grass</i>	"	
Holcus lanatus, <i>Yorkshire Fog</i>	"		— repens, <i>white or Dutch Clover</i>	"	
Lolium italicum, <i>Italian Rye Grass</i>	per bush.		— hybridum, <i>or Alsike</i>	"	
— perenne, <i>Perennial</i>	do.		— incarnatum, <i>crimson Italian</i>	"	
— Pacey's	do.		— minus, <i>Suckling</i>	"	

MIXED GRASS SEEDS FOR LAWNS, PASTURES, &c.

	lb.	bush.	acre.		lb.	bush.	acre.
Lawn Grass for light soils				Permanent Grass, for light soils			
— for heavy	do.			— for heavy	do.		
— „ gravelly dry	do.			— gravelly dry	do.		
— „ marshy	do.			— „ marshy	do.		
— „ mossy	do.			— „ mossy	do.		
— „ moory	do.			— „ moory	do.		

REFERENCE TO THE NEWEST ANNUALS, &c.

New Hardy Annuals: 274, 279, 531, 568, 596, 598, 642, 645, 719, 730, 1130 and 1179.
 Nos. 274 to 1179 inclusive 6s.—*Half Hardy Annuals:* 72, 125, 441, 491, 610, 619, 623, 624, 675, 790, 811, 822, 823, 825, 828, 859, 862, 948, 951, 990, 1157, 1158 and 1241.
 Nos. 72 to 1241 inclusive 10s.—*Biennials and Perennials:* 111, 113, 286, 327, 808, 819, 840, 939, 1170, 1173 and 1272. Nos. 111 to 1272 inclusive 5s.—*Greenhouse Seeds:* 308, 480, 632, 635, 685, 765 and 946. Nos. 308 to 946 inclusive 5s.

TEXIAN FLOWER SEEDS.

Nos. 154, 266, 294, 523, 549, 550, 875 and 936. Nos. 154 to 936 inclusive 6s.; also:

No.	s.	d.	No.	s.	d.
1642 Allium, <i>fragrant species</i>	6		1645 Fragrant Shrub	1	0
1643 Ipomopsis, <i>bright scarlet</i>	1	0	1646 New Annual, <i>pink</i>	2	6
1644 Lupinus, <i>fine species</i>	6		1647 New Annual, <i>blue</i>	1	0
			1642 to 1649 inclusive	7	0